



2. PCB Layout differs

PREVIOUS CUI DEVICES DETAIL / IMAGE



Recommended PCB Layout Top View

NEW CUI DEVICES DETAIL / IMAGE



Recommended PCB Layout Top View

3. Housing material differs

PREVIOUS CUI DEVICES DETAIL / IMAGE

	MATERIAL	PLATING
terminal 1	copper alloy	silver
terminal 2	copper alloy	silver
terminal 3	copper alloy	silver
terminal 4	copper alloy	silver
terminal 10	brass	silver
terminal 11	brass	silver
plastic	PA10T	

NEW CUI DEVICES DETAIL / IMAGE

DESCRIPTION	MATERIAL	PLATING/COLOR
terminal 1	phosphor bronze t-0.20	silver over nickel
terminal 2	phosphor bronze t-0.20	silver over nickel
terminal 3	phosphor bronze t-0.20	silver over nickel
terminal 4	phosphor bronze t-0.20	silver over nickel
terminal 10	brass t-0.20	silver over nickel
terminal 11	brass t-0.20	silver over nickel
housing	PA9T [UL94V-0]	black


4. Reflow Soldering Difference

PREVIOUS CUI DEVICES DETAIL / IMAGE

SOLDERABILITY

parameter	conditions/description	min	typ	max	units
refl storage	at relative humidity <80%		40		°C
reflow soldering ¹	see reflow profile	235	260	265	°C
drying conditions ²	parts in reel: bake at 40°C ±5°C for 72 hours parts removed from reel: bake at 40°C ±5°C for 10 hours				

Notes: 3. Must reflow solder within 72 hours from opening vacuum packaging at a temperature <30°C & relative humidity <60%.
4. When exceeding four lifts by >72 hours.




NEW CUI DEVICES DETAIL / IMAGE



SOLDERABILITY

parameter	conditions/description	min	typ	max	units
refl storage	5-25°C, 20-75% humidity		40		°C
reflow soldering	see reflow profile	235	260	265	°C

Note: 1. CUI Devices recommends usage of the product within 24 hours after 100 is opened. After 24 hours, CUI Devices recommends drying the parts prior to use.



5. Tape and reel packaging differs



Affected Date Code: **11/15/2022**

Product Availability: **Channel availability mid Q4**


Additional Information:

PCN Approval:

Operations/Quality



Product Management



Nick Wolfe

11/17/2022