


SECTION A-A



SECTION B-B

- NOTES:
- ① 1,25 μm SELECTIVE Au OVER 1,25 μm NI. REMAINDER 1,25 μm Ni.
 - ② 0,75 μm SELECTIVE Au OVER 1,25 μm NI. REMAINDER 1,25 μm Ni.
 - ③ 0,4 μm SELECTIVE Au OVER 1,25 μm NI. REMAINDER 1,25 μm Ni.
 - ④ WIRE RANGE 0,5-1,5 mm², INSULATION RANGE 2,0-2,5 mm.
 - ⑤ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBS	-166636-5	SEE NOTE ③	BRASS	166479-7
OBS	-166636-4	SEE NOTE ②	BRASS	166479-6
OBS	-166636-3	SEE NOTE ①	PHOSPHORBRONZE	166479-5
OBS	-166636-2	SEE NOTE ②	PHOSPHORBRONZE	166479-4
OBS	-166636-1	SEE NOTE ①	BRASS	166479-2
	LOOSE PIECE	FINISH	MATERIAL	PARTNUMBER

CUSTOMER DRAWING					FOR REFERENCE ONLY WILL NOT BE UPDATED					
© COPYRIGHT 19 - BY AMP HOLLAND B.V.					ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN AND/OR PATENTS PENDING.					
THIS DRAWING IS UNPUBLISHED					RELEASED FOR PUBLICATION _____, 19____					
E1 ECO-09-024717			KK AEG 28DEC09		AMP			AMP HOLLAND B.V. 's-Hertogenbosch, The Netherlands.		
E SR10-0506-02			F.B. F.B. 17-01-03		NAME					
C EH-1280-95			J.G. R.v.L 26-10-95		CRIMP-ON / SNAP-IN TAB RECEPTACLE STRIP					
LTR. REVISION RECORD			DR. CHK. DATE							
DR.: J.Gibbels		CHK.: R.v.Lokven		APP.: -		DWG.No.		REV.LTR.		SHEET
DATE: 26-10-95		DATE: -		DATE: -		C-166479		E1	1 OF 1	A3