



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)







-00000000000000

NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-27W	2222-4N1	ISSUE	
			PART NUMBER: 628-27W	2222-4N1	1	



COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

1

628-27W2222-4N1



3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female

5W5 Male		8W8 Male				
÷	47.05 23.63 		33.30 			
			11W1 Male/Female	27W2 Male/Fema	le	
5W5 Female	47.06 - 23.03 - 14.48 - 14.48 - 90 - 8.38 - 8.38 - 8.28	8W8 Female 31.75 22.83 22.97 4 4 4 4 4 4 4 4 4 4			_	
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ØA	17W2 Male/Female	21W1 Male/Fema	47.05	3 8
		COMBIN	IATION D-SUB	SW REFERENCE NO.: 628 DRAWN: C.B CHECKED:	COMBO ASSEMBLY DATE: JAN. 01/20 DATE:	019
F #HS	THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES	EDAC TORONTO, C	NTARIO SHALL NOT BE REPRODUCED, OR COPIE	DOALL. N.I.O	SHEET 3 OF	4 ISSUE


YOUR CONNECTION TO QUALITY & SERVICE

WITHOUT WRITTEN PERMISSION.

MANUFACTURE OR SALE OF APPARATUS

PART NUMBER:

5W5 Male



8W8 Male

THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 의 2.77





13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT





47W1 Male





17W5 Female





		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-27W2222-4N1		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-27W	2222-4N1	1