


Device marker - LS-EMSP-AL (50X30) RD - 0831637

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Device marker, Aluminum label, red, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, mounting type: screw, rivet, lettering field size: 50 x 30 mm, Number of individual labels: 10




Your advantages

- Aluminum device marking for screwing or riveting



Key Commercial Data

Packing unit	5 pc
Minimum order quantity	5 pc
GTIN	 4 046356 925839
GTIN	4046356925839

Technical data

Dimensions

Length (b)	29.8 mm
Width (a)	59.7 mm
Hole diameter	3.20 mm

Ambient conditions

Ambient temperature (operation)	-25 °C ... 70 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.

General

Color	red
Components	free from silicone, halogen, and cadmium
Material	Aluminum
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Number of individual labels	10

Device marker - LS-EMSP-AL (50X30) RD - 0831637

Technical data

General

Marking mounting type	screw, rivet
-----------------------	--------------

Classifications

eCl@ss

eCl@ss 10.0.1	27400629
eCl@ss 11.0	27281103
eCl@ss 5.0	27149100
eCl@ss 5.1	27141100
eCl@ss 6.0	27149100
eCl@ss 7.0	27149129
eCl@ss 9.0	27400629

ETIM

ETIM 4.0	EC000761
ETIM 6.0	EC001288
ETIM 7.0	EC001288

UNSPSC

UNSPSC 13.2	39131504
UNSPSC 18.0	39131504
UNSPSC 19.0	39131504
UNSPSC 20.0	39131504
UNSPSC 21.0	39131504

Accessories

Accessories

Magazine

Magazine - TOPMARK LASER-MAG SHEET - 0831836

Sheet magazine for TOPMARK LASER



Printing system

Device marker - LS-EMSP-AL (50X30) RD - 0831637

Accessories

Laser marker - TOPMARK NEO SET - 1012018



Laser marker incl. extraction unit with operating instructions, declaration of conformity, LS adapter plate +4 magnets, LS retaining plate, power cables: type E and F, LAN cable, D-SUB cable 25-pos., suction tube, crevice nozzle set and filter equipment

Printing system accessories

Adapter plate - TMN-ADAPTER PLATE-LS - 1012104



Adapter plate, for LS materials, for TOPMARK NEO, weight: 0.193 kg

Phoenix Contact 2021 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>