



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER	
ORIGINAL	

(1)






## NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C



SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 627-27W	2624-2T1	ISSUE	
			PART NUMBER: 627-27W	2624-2T1	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

10°



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)



5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



emale



emale

	$\begin{array}{c} 63.50 \\ \hline 31.76 \\ \hline 22.87 \\ \hline 22.87 \\ \hline 22.87 \\ \hline 22.83 \\ \hline 5.3 \\ \hline 5.3$	an ser	33.30 5.860 1.30 1.30 5.800 1.30 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.8000 5.80000 5.80000 5.80000 5.80000 5.8000000 5.8000000000000000000000000000000000000	
		11W	I Male/Female	27W2 Male/Fen
47.05 23.03 a 14.48 b 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8W8 Female	*		
- trant	<u> 6.36 </u> .76	-	2 Male/Female	21W1 Male/Fer
CURRENT RATIN	G/ØA			
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		10 10 10 10 10 10 10 10 10 10 10 10 10 1	47.06 23.63 13.85 0.31 0.70 0.51 0.70 0.51 0.70 0.51 0.55 0.5	
				SW REFERENCE NO.: 62
		COMBINATION	I D-SUB	DRAWN: C.B
				CHECKED:
ERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS	SCALE: N.T.S



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
		DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:		
EDAC INC	EDAC INC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-27W	2624-2T1	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627-27W	2624-2T1	1	

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.






9W4 Male

23,53 14 84 o 70 2 


25W3 Male




23.53 14.51 9,70 7.79

25W3 Female


36W4 Female





13W3 Male



36W4 Male







13W6 Male



43W2 Male





.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male

COMPLIANT




THIS SERIES FULLY CONFORMS TO


THE EUROPEAN UNION DIRECTIVES

2011/65/EU FOR RoHS COMPLIANCY.

47W1 Male




YOUR CONNECTION TO QUALITY & SERVICE



22.16

2.77

	SW REFERENCE NO.: 627 C	OMBO ASSEMBLY	
D-SUB	DRAWN: C.B	DATE: JAN. 01/2019	
	CHECKED:	DATE:	
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF 4	
SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-27W	2624-2T1 ISSU	E
	PART NUMBER: 627-27W	2624-2T1 <sup>1</sup>	



17W5 Female

COMBINATION D-SUB

EDAC INC

TORONTO, ONTARIO

CANADA