

Mounting Option

08-#4-40 Unified Threaded Inserts

Contact Detail

542-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.655(16.64) .100 [2.54] Contact Spacing x .200 [5.08] Row Spacing





See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**



.240 [6.10] Point of Contact-



or .	ACAD REFERENCE NO	842 ENG MASTER				
	DRAWN: J.LEE	DATE: OCT. 06/09				
	CHECKED:	DATE:				
NS	SCALE: NTS	SHEET 1 OF 3				

CANADA

YOUR CONNECTION TO QUALITY & SERVICE

842 Assembly

SECTION A-A

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER

ORIGINAL (1)



842/892 Series High Temp C	ACAD REFERENCE NO. 842 ENG MASTER					
Contact Bend Detail	DRAWN:	J.LEE	DATE: OCT. 06/09			
Contact bend Detail			CHECKED:		DATE:	
EDAC INC	TORONTO, ONTARIO CANADA ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIE OR USED AS THE BASIS OF APPARATUS MANUFACTURE OR SALE OF APPARATUS		NTS	SHEET :	2 OF 3	
			NUMBER		ISSUE	
			842 Assembly			

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER



ISSUE NUMBER

ORIGINAL

1



842/892 Series High Temp Card Edge Co Mounting Options	DRAWN: J.LEE DATE: OCT. 06/09 CHECKED: DATE:
EDAC INC THESE DRAWINGS AND S	
	DUCED,OR COPIED DRAWING NUMBER ISSUE
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMI	