





DWG. NO.	0077-0056-02	
REVISIONS		
ECO-E1787 ADDED TOLERANCE 2 PL DECIMAL WAS 3PL RKM 07/21/00 EWS 7-25-00		03
ECO-E1982 ADDED BEFORE AND AFTER H.T. DIMENSIONS. RKM 11/13/00 EWS 11/14/00		04
ECO-E2637 ±.015 WAS ±.005 RKM 12/04/01 EWS 12/04/01		05
ECO-E2711 16.275 WAS 16.293 16.250 WAS 16.269. RKM 01/28/02 EWS 01/28/02		06
ECO-E4029 REMOVED MATERIAL WIDTH SDH 09/11-03 EWS 09/26/03		07
ECO-E5062 ADDED H.T. SPECS. FROM REV 07 RKM 06/29/05 EWS 06/29/05		08
ECO-E5541 ADDED ±.010 TOL TO .085 DIM SDH 08/23/06 EWS 08/24/06		09
ECO-E5864 .32 WAS .320 .11 WAS .110 .0005 PITCH TOL. WAS .005.RKM 03/23/07. EWS 03/26/07		10



THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO LAIRD TECHNOLOGIES.  
IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN LAIRD TECHNOLOGIES  
PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM LAIRD TECHNOLOGIES.

DWG. NO. 0077-0056-02

MATERIAL: 0.09 [0.0035]±.0005 [0.0002] THICK BeCu ALLOY 25 1/4 HARD	TOLERANCES NOT SHOWN DECIMAL 2 PL'S ± 0.50 [0.020] DECIMAL 3 PL'S ± 0.38 [0.015]	<p>DELAWARE WATER GAP PENNSYLVANIA</p>	DRAWN BY: AD	DATE: 05/18/99
HEAT TREAT: TO DPH 373 MIN USING A 500 GRAM LOAD	ANGULAR ± ---		CHECKED: ES	DATE: 12/04/01
THICKNESS AFTER: CLEANING AND BEFORE PLATING 0.08 [0.00315] MIN.	THIRD ANGLE PROJECTION	APPROVED: EWS	DATE: 05/26/99	
FINISH: BRIGHT FINISH	UNITS: MM [INCH] SCALE: 5:1	LAIRD STANDARD		
CAD MAINTAINED DRAWING. MANUAL CHANGES UNAUTHORIZED.		REF. DWG NO. 0077-0010-01	DWG. NO. 0077-0056-02	REV 10
		SHEET 1 OF 1		