




REV.	DESCRIPTION	DATE	APPROVED
F	Engineering Release	04/09/14	J. C.
G	Engineering Update w/o Changes	08/09/16	J. C.



For Use With:  
 Wire Harness: BIVAR L2CON-24  
 or  
 Housing : LEOCO 2530S020000  
 Terminal : LEOCO 2533TPB0000

**ORDERING INFORMATION**  
**L22-ML2X**  
 C: COOL WHITE  
 N: NEUTRAL WHITE  
 W: WARM WHITE

Part Number	LED P/N	Color	CCT (K)	Typical Luminous Flux (lm)	Cree P/N Reference
L22-ML2C	BDL-1480	Cool White	6500	300	XMLBWT-00-0000-0000U20E1
L22-ML2N	BDL-1481	Neutral White	4000	260	XMLBWT-00-0000-000LT50E5
L22-ML2W	BDL-1482	Warm White	3000	220	XMLBWT-00-0000-000HT30E7

STANDARD TOLERANCE ( UNLESS OTHERWISE SPECIFIED )		 4 THOMAS, IRVINE, CA. 92618 TEL: (949) 951-8808 FAX: (949) 951-3974			
DECIMALS	ANGULAR				
.X ± .1	X° ± 1°		TITLE: L22 Starboard Light Engine		
.XX ± .02			DESIGNED: <b>B. Oliver</b>	DATE: <b>07/22/13</b>	PART NO: <b>L22-ML2X</b>
.XXX ± .010		CHECKED: <b>J. Chiang</b>	DATE: <b>07/22/13</b>	CAGE CODE : <b>32559</b>	SHEET # <b>1</b> OF <b>1</b>
CAD GENERATED DOCUMENT. DO NOT MEASURE DRAWING.					