


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	ECO #4161	06/21/01	A.D.M.
B	ECO #4703	9/27/02	D.R.



PROPRIETARY INFORMATION
 NOT TO BE RELEASED
 WITHOUT WRITTEN PERMISSION
 FROM AN AUTHORIZED
 REPRESENTATIVE OF
 APPLIED ENGINEERING PRODUCTS


NOTES:

MATERIALS:

1. INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
2. ALL OTHER METAL PARTS = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.

FINISHES:

1. CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.
2. ALL OTHER METAL PARTS = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 0, GRADE C, OVER .00010 TO .00020 COPPER STRIKE PER MIL-C-14550.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		DWN: A.D.M.	DATE 06/21/01	 APPLIED ENGINEERING PRODUCTS 104 John W. Murphy Dr. New Haven, CT 06513			
		CHKD: D.N.	DATE 06/21/01				
DECIMAL	ANGLE	APVD: D.J.C.	DATE 06/21/01				
		RIGHT ANGLE TERMINATION P.C.B. MOUNT CLAMP TYPE FOR RG-178 FLEXIBLE CABLE					
REFERENCE:		MATERIALS & FINISHES: SEE NOTES		SIZE A	FSCM NO. 19505	DWG. NO. 8045-1551-002	REV B
ORIGINATOR: E.W. DATE: 12/21/95				SCALE 6:1		SHEET 1 OF 1	

8045-1551-002