


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
D2		REV. BY ECO 16-006304	29APR2016	HC	WLS
D3		REV. BY ECO 17-000292	10JAN2017	HC	WLS
D4		REV. BY ECO 17-009641	05JUL17	HC	WLS



1-INTERCHANGEABLE WITH PN-180924.  
 △2-PA 6.6 HEAT STABILIZED.  
 △3-PA 6.6 ACC. TO SPEC. IEC 60335-1 GWT 750C WITHOUT FLAME.

<b>OBSOLETE</b>	NATURAL	△3	1-880298-1
	BLACK	△2	1-880298-0
	VIOLET	PA 6.6	880298-9
	GRAY	PA 6.6	880298-8
	BROWN	PA 6.6	880298-7
	BLACK	PA 6.6	880298-6
	YELLOW	PA 6.6	880298-5
	BLUE	PA 6.6	880298-4
	GREEN	PA 6.6	880298-3
	RED	PA 6.6	880298-2
NATURAL	PA 6.6	880298-1	
FINISH	MATERIAL	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.C. CANTERI 27APR2016	TE Connectivity		
DIMENSIONS: mm		CHK W.L. STEFANI 28APR2016			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	PRODUCT SPEC -		
0 PLC ±- 1 PLC ±0,4 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±1°		APPLICATION SPEC -	RESTRICTED TO -		
MATERIAL -	FINISH -	WEIGHT -	SIZE A3	CAGE CODE -	DRAWING NO C-880298
CUSTOMER DRAWING			SCALE 4:1	SHEET 1 OF 1	REV D4