

6

5


4

3

2

1

REVISIONS				
EC NO	DATE	REV	DESCRIPTION	CHANGER
651178	2020/12/11	D	ADDED PART 887329200 ON DRAWING	CISSY
686785	2021/09/22	D1	REMOVED OBSOLETE PN:887328000/8100/9202/9020/9002	SUGEEB



887329200	USB 28#/24#,FROST WHITE	2090+0/-40	887808238	887800043
MOLEX P/N	DESCRIPTION	LENGTH	CABLE P/N	PVC P/N

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
$\nabla_A = 0$	DIMENSION UNITS	SCALE	CURRENT REV DESC: OBSOLETE PART NUMBER AS PER PCN#509451		
$\nabla_E = 2$	mm	NTS	<p>molex</p> <p>USB A-B CABLE ASSY</p> <p>PRODUCT CUSTOMER DRAWING</p>		
$\nabla_F = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)				
DIVISIONAL SYMBOLS			EC NO: 686785	2021/09/22	
			DRWN: SUGEEB	2022/02/28	
			CHK'D: GGA	2022/02/28	
			APPR: GGA	2022/02/28	
			INITIAL REVISION:		
			DRWN: XHLEI	2006/01/20	
			APPR: BORON	2006/01/20	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	DOCUMENT NUMBER
			A4-SIZE	88732	SD-88732-002
					DOC TYPE
					DOC PART
					REVISION
					PSD
					001
					D1
					SHEET NUMBER
					1 OF 2

DOCUMENT STATUS	P1	RELEASE DATE	2022/02/28	11:53:56
-----------------	----	--------------	------------	----------

6

5

4

3

2

1

NOTE:1

1.MOLDED WITH PVC RESIN P/N:SEE TABLE

2.ELECTRICAL PERFORMANCE:

- 2.1 DIELECTRIC STRENGTH
- 2.2 INSULATION RESISTANCE
- 2.3 CONDUCTIVE RESISTANCE
- 2.4 CABLE IMPEDANCE
- 2.5 ATTENUATION
- 2.6 PROPAGATION DELAY
- 2.7 SIGNAL PAIR SKEW

REFER TO ES-003 ELECTRICAL SPECIFICATION FOR DETAILS

3.THIS PRODUCT MUST MEET MX RoHS COMPLIANCE.

	J	COPPER FOIL		2
	H	TERMINAL		8
	G	HOUSING 887809085		1
	F	REAL SHELL 887809082		1
	E	FRONT SHELL 887809081		1
	D	USB CABLE SEE TABLE		
	C	REAR SHELL 887809084		1
	B	FRONT SHELL 887809083		1
	A	CRIMP HOUSING 887809086		1
	ITEM	DESCRIPTION	L	QTY.

SHELL	BRAID WIRE	SHELL
4	AWG26 BLACK	4
3	AWG28 GREEN	3
2	AWG28 WHITE	2
1	AWG26 RED	1
P1	WIRE COLOR	P2
PIN ASSIGNMENTS		

FUNCTIONAL SYMBOLS $\nabla_A = 0$ $\nabla_C = 1$ $\nabla_E = 0$	DIMENSION UNITS: mm SCALE: NTS		CURRENT REV DESC: OBSOLETE PART NUMBER AS PER PCN#509451		
	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 686785 DRWN: SUGEEB 2021/09/22 CHK'D: GGA 2022/02/28 APPR: GGA 2022/02/28		
		MM			
	DIVISIONAL SYMBOLS $\nabla_A = 0$ $\nabla_C = 1$ $\nabla_E = 0$	4 PLACES	±	±	INITIAL REVISION: DRWN: XHLEI 2006/01/20 APPR: BORON 2006/01/20
	3 PLACES	±	±	DOCUMENT NUMBER: SD-88732-002 DOC TYPE: PSD DOC PART: 001 REVISION: D1	
	2 PLACES	±	±	MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 2 OF 2	
	1 PLACE	±	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
	0 PLACES	±	±	THIRD ANGLE PROJECTION: DRAWING: A4-SIZE SERIES: 88732	
	ANGULAR TOL	±	°		

