

Housing - HC-D 7-KML-61/O1PG11 - 1672893

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Coupling housing, with single locking latch, height 61 mm, without screw connection, 1 x Pg11, zinc die-cast

The figure shows version HC-D 7-KML-51/M1PG11/ALU



Key Commercial Data

| | |
|--------------|---------------|
| Packing unit | 10 pc |
| GTIN | |
| GTIN | 4017918145408 |

Technical data

Dimensions

| | |
|--------|---------|
| Height | 60.5 mm |
| Width | 34 mm |
| Length | 26.5 mm |

Ambient conditions

| | |
|--------------------------------------|---------------------------|
| Degree of protection of housing (IP) | IP54 |
| | IP65 (with sealing screw) |
| Ambient temperature (operation) | -40 °C ... 125 °C |

General

| | |
|----------------------|-------------------------------------------------------------------------|
| Note | for contact inserts HC-A03, A04, D07, D08, Q02, Q03, Q04, Q05, Q07, Q12 |
| Size | D7 |
| Housing type | Coupling housings |
| Locking type | with single locking latch |
| No. of cable outlets | 1 |
| Cable outlet | straight |
| Screw connection | none |

Housing - HC-D 7-KML-61/O1PG11 - 1672893

Technical data

General


| | |
|------------------------------|---------------------|
| Type of the screw connection | 1x Pg11 |
| Housing material | Zinc die-cast |
| Housing surface material | Powder-coated, gray |
| Material lock | Steel, galvanized |

Environmental Product Compliance

| | |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Drawings

Dimensional drawing



Dimensional drawing

Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>