



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	C2	REVISED PER ECO-20-008150	15JUN2020	MY	DZ



- ASSEMBLY TO BE 100% TESTED FOR CONTINUITY, SHORTS, AND OPENS, CABLES ASSEMBLYS ARE ALSO TO BE 100% TESTED FOR SIGNAL INTEGRITY, TO SAS 3.0 REQUIREMENTS.
- ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3 LABEL CENTERED AND LABEL INFORMATION AS BELOW:




4. SEE SHEET #2 FOR WIRING SCHEMATIC.

200	+25 -0	2820332-5
1000	+25 -0	2820332-4
700	+25 -0	2820332-3
500	+25 -0	2820332-2
300	+25 -0	2820332-1
"L"	[MM]	TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.YI 16/JUN/2014	TE Connectivity Ltd.	
DIMENSIONS: mm		CHK G.GUTGOLD 16/JUN/2014		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G.GUTGOLD 16/JUN/2014	NAME C/A, INTERNAL HD MINI SAS, STR TO R/A	
0 PLC ± -		PRODUCT SPEC	100 OHMS, 4X	
1 PLC ± -		APPLICATION SPEC	30 AWG	
2 PLC ± -		SIZE A2	CAGE CODE 00779	DRAWING NO C-2820332
3 PLC ± -		WEIGHT 0	RESTRICTED TO	
4 PLC ± -		CUSTOMER DRAWING	SCALE N.T.S.	SHEET 1 of 2
ANGLES ± -				REV C2
FINISH				

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M.YI	16/JUN/2014	 TE Connectivity Ltd.
		CHK	G.GUTGOLD	16/JUN/2014	
		APVD	G.GUTGOLD	16/JUN/2014	
		PRODUCT SPEC	PRODUCT SPEC		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ± -		C/A, INTERNAL HD MINI SAS, STR TO R/A	
		1 PLC ± -		100 OHMS, 4X	
		2 PLC ± -		30 AWG	
		3 PLC ± -		SIZE	
		4 PLC ± -		CAGE CODE	
ANGLES ± -		FINISH		DRAWING NO	
MATERIAL		WEIGHT		RESTRICTED TO	
-		0		-	
		CUSTOMER DRAWING		SCALE	
		A2 00779 C-2820332		N.T.S.	
		SHEET 2 of 2		REV C2	

2820332