






LOC	DIST	REVISIONS			
GP	00	REV	DATE	BY	CHK
F		REVISED PER ECO-13-010626	31JUL2013	KH	RP
G		REVISED PER ECO-19-009248	04JUL2019	AP	SY



FINISHED HOLE SIZE AND PLATED THRU HOLES



SHOWN LOGO OR OTHER TE OWNED LOGOS IN APPROXIMATE AREA.

MATERIAL:
 CONTACT - PHOS BRONZE
 HOUSING - LCP, UL 94V-0, COLOR - BLACK

FINISH:
 CONTACT AREA FINISH CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-2303; BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE). COMPLIANT PIN AREA- 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL.

CONNECTOR MARKED WITH PART NUMBER, DATE CODE AND STANDARD IN APPROXIMATE AREA SHOWN

DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE GR-1217-CORE, ISSUE 1, NOVEMBER 1995.

REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.

1934316-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: B. MCMASTER 14JUN2007	TE Connectivity	
DIMENSIONS: mm		CHK: W. DAVIS 14JUN2007	NAME: HEADER ASSEMBLY, DOUBLE WALL, 4 PAIR 16 COLUMN	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: W. DAVIS 14JUN2007	PRODUCT SPEC: TinMan	
0 PLC ±		APPLICATION SPEC:		
1 PLC ±		SIZE: CAGE CODE DRAWING NO: A100779C=1934316		
2 PLC ±		RESTRICTED TO:		
3 PLC ±		WEIGHT:		
4 PLC ±		CUSTOMER DRAWING		
ANGLES ±		SCALE: 8:1 SHEET 1 OF 1 REV G		
FINISH:				