



MOLEX SAP P/N#	ENGINEERING P/N#	"L" (Meters)	"L" (INCH)	TOLERANCE (INCH)
1300652200	1300652200	3 M	118.11"	+3.50"/-0.00"



LABELS PRINTED W/
MOLEX/WOODHEAD
BRANDING & INFORMATION

7/8-16
EXT. THREAD



ELECTRICAL DIAGRAM

1	BLACK	1
2	WHITE	2
3	RED	3
4	GRN/YLW OR GREEN	4

SPECIFICATIONS:

COUPLING NUT MATERIAL: ZINC DIECAST WITH
BLACK ELECTROPHORETIC COATING
CONTACT MATERIAL: GOLD/NICKEL OVER COPPER ALLOY
INSERT MATERIAL: BLACK PVC
OVERMOLD MATERIAL: FEMALE - BLACK PVC
MALE - GRAY PVC
CABLE: #14/4 BLACK PVC
ASSEMBLY RATING: 600V, 15A
ENVIRONMENTAL: -20°C TO 90°C
IP67 WHEN MATED

CUSTOMER PRODUCTION APPROVAL
APPROVED BY: _____
DATE: _____
MUST BE SIGNED AND RETURNED BEFORE
PRODUCTION WILL BEGIN.

RESTRICTED SALES DRAWING

INITIAL RELEASE EC NO: IPG2014-0872 DRWN: VOU 2013/11/13 CHKD: BARDEN APPR: JFMURPHY 2013/11/22	QUALITY SYMBOLS ▽=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY VOU	DATE 2013/11/12	TITLE MINI-CHANGE POWER ASSY 4P FEM/MAL 90/ST ALT/STD #14/4 BLACK PVC CABLE			
A	REV	4 PLACES	±---	±---	CHECKED BY BARDEN	DATE 2013/11/12	MATERIAL NO. SEE TABLE			
		3 PLACES	±---	±.005	APPROVED BY JFMURPHY	DATE 2013/11/22	DOCUMENT NO. SD-130065-015			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ±1/2°		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
						SHEET NO. 1 OF 1				