



ANATECH ELECTRONICS INC
RF & Microwave Filters & Products

3250 MHz Suspended Stripline High Pass Filter

Part Number: AE3250SSH6590



Electrical Specifications

Cut Off Frequency: 3.25GHz
Pass Band Frequency: 3.25~22GHz
Pass Band Insertion Loss:
 $\leq 1.5\text{dB}$ @ 3.25~3.35GHz
 $\leq 1.0\text{dB}$ @ 3.35~22GHz
Pass Band VSWR:
 $\leq 1.5:1$ @ 3.25~20GHz
 $\leq 1.7:1$ @ 20~22GHz
Stop Band Attenuation: $\geq 50\text{dB}$ @ DC~2.57GHz
Impedance: 50 Ohms
Power Handling: $\leq 15\text{W}$


Mechanical

Mounting Method: Through Holes
Connector Type: SMA-Female
Dimensions: 30.0 x 16.5 x 10.0 mm

Environmental

Operating Temperature: -45° to $+85^\circ$ C
Storage Temperature: -55° to $+95^\circ$ C
Shock: 20 G. 11ms
Vibration: 20 G. 5 to 200 Hz

Outline Drawing:



DS-SSH6590-01252019-Rev0

70 Outwater Lane Phone: (973) 772-4242
 Garfield, NJ 07026 Fax : (973) 321-3941

Email: sales@anatechelectronics.com
 Web: www.anatechelectronics.com