

ITEM	PART#	DESCRIPTION	QTY	UOM
A,B	436401000	MicroFit 3.0 Inline Plug Panel Mnt 10CKT	2	PC
C	430310021	MICROFIT 3.0 M CRP TERM CHN TIN 18AWG	20	PC
D	--	PAPER PRINTED PAPER WHITE	1	PC

FROM	TO	DESCRIPTION	COLOR
A1	B10	1X18AWG DISC SR-PVC BK UL10002	BLACK
A2	B9	1X18AWG DISC SR-PVC BK UL10002	BLACK
A3	B8	1X18AWG DISC SR-PVC BK UL10002	BLACK
A4	B7	1X18AWG DISC SR-PVC BK UL10002	BLACK
A5	B6	1X18AWG DISC SR-PVC BK UL10002	BLACK
A6	B5	1X18AWG DISC SR-PVC BK UL10002	BLACK
A7	B4	1X18AWG DISC SR-PVC BK UL10002	BLACK
A8	B3	1X18AWG DISC SR-PVC BK UL10002	BLACK
A9	B2	1X18AWG DISC SR-PVC BK UL10002	BLACK
A10	B1	1X18AWG DISC SR-PVC BK UL10002	BLACK




TABLE			
PART NUMBER	L1	L2	TITLE
2147521101	150±8	63 REF	MICROFIT 3.0 SR P-P 10CKT 150 MM Sn
2147521102	300±10	138 REF	MICROFIT 3.0 SR P-P 10CKT 300 MM Sn
2147521103	600±10	288 REF	MICROFIT 3.0 SR P-P 10CKT 600 MM Sn

- NOTES**
1. Cable assembly must pass 100% continuity and polarity test.
 2. Connector view shown is from mating side.
 3. Label text must be 2mm max. in height with Arial font.
 4. Label must be wrapped in Flag type on a single cable.

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2020/02/29	A	INITIAL RELEASE	ARAJU

SYMBOLS THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS: mm SCALE: NTS CURRENT REV DESC: EC NO: 637489 DRWN: ARAJU 2020/02/29 CHK'D: RDESAI01 2020/05/14 APPR: RDESAI01 2020/05/14 INITIAL REVISION: DRWN: ARAJU 2020/02/29 APPR: RDESAI01 2020/05/14 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING: A4-SIZE SERIES: 214752 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 1 OF 1	molex		
	SEE TABLE		
PRODUCT CUSTOMER DRAWING			
DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
2147521101	PSD	000	A