



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER	
ORIGINAL	(1)





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


CONTACT CODE 40 POWER CONTACT FOOTPRINT - 13.20mm 40 IS STANDARD AS SHOWN ON SHEETS 3 & 4 CONTACT CODE 50 POWER CONTACT FOOTPRINT - 20.33mm

		SW REFERENCE NO.: 629 COMBO ASSEMBLY			
COMBINATION D-SUB			DRAWN: C.B		19
		CHECKED:		DATE:	
EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE:	(IN C.A.D. 1:1)	SHEET 1 OF	4
		DRAWING NUMBER: 629-7W2-250-21		-250-2N4	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUM	IBER: 629-7W2-	-250-2N4	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

 $\overline{(1)}$



3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





5W5 Male

COMPLIANT



PCB EDGE

8W8 Male



PCB EDGE




PCB EDGE

2.77



27W2 Male/Female

21W4 Male/Female




21W1 Male/Female





		SW REFERENCE NO.: 629 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			DRAWING NUMBER: 629-7W2-250-2N4		ISSUE
			PART NUMBER: 629-7W2	-250-2N4	1

5W5 Female





8W8 Female






CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7







17W2 Male/Female



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





2.7

PCB EDGE


PCB EDGE

31.75

36W4 Female



13W6 Male





30.50

2.77

22.16

20.7

13.72

PC8 EDGE

13W6 Female

13W3 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

43W2 Female



17W5 Male

COMPLIANT







COMBINATION D-SUB


CANADA



PART NUMBER:








PCB EDGE SW REFERENCE NO. 629 COMBO ASSEMBLY DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: SHEET OF 4 SCALE: N.T.S 4 629-7W2-250-2N4 DRAWING NUMBER: ISSUE

629-7W2-250-2N4

1













24.77



THESE DRAWINGS AND SPECIFICATIONS

ARE THE PROPERTY OF EDAC INC..AND

OR USED AS THE BASIS FOR THE

WITHOUT WRITTEN PERMISSION.

SHALL NOT BE REPRODUCED, OR COPIED

MANUFACTURE OR SALE OF APPARATUS



