

Product Change Notice (PCN)

Subject: Alternate test facility of Intersil TW8825* and TW8835* series products

Publication Date: 2/24/2017

Effective Date: 5/25/2017

Revision Description:

Initial Release

Description of Change:

Alternate test facility of Intersil TW8825* and TW8835* series products

- King Yuan Electronics Co., Ltd. (KYECC) – Miao Li County, Taiwan

Affected Product list

TW8825-LA1-CR
TW8825-LA1-CRR5682
TW8835-LA2-CR
TW8835-LA2-CRT

Reason for Change:

This is to inform you that Intersil will begin using King Yuan Electronics Co., Ltd. (KYECC) as alternate test facility of the listed Intersil TW8825* and TW8835* series products. KYECC is an existing test supplier for Intersil. This action will expand current capabilities and capacities to optimize Intersil's ability to meet customer's delivery requirements. The KYECC facility is ISO9001:2008 and ISO/TS16949 certified.

Impact on fit, form, function, quality & reliability:

The following summarizes the qualification of KYECC facility to confirm there is no impact on the form, fit, function, quality, reliability and environmental compliance of the devices.

- Intersil supplied test software and product specific hardware were used at KYECC.
- The test equipment validation involved the testing of control units and a correlation lot of TW8825-LA1-CRR5682 at the KYECC facility.
 - Control units were tested at the current test site and retested at KYECC. Their performance were recorded and the results were analyzed to validate the set-up.
 - A correlation lot of approximately 1000 units were tested at the current test site and retested at KYECC. The test results from each site were compared.
 - Continuous monitoring and comparison of the data from lots processed at multiple sites were completed by the responsible product engineers.
- The visual / mechanical inspection, tray and tape & reel operations are compliance to JEDEC industry standards.

Product Identification:

Product affected by this change is identifiable via Intersil's internal traceability system.

Qualification status: Completed the correlation test

Sample availability: 3/1/2017

Device material declaration: Available upon request

Questions or requests pertaining to this change notice, including additional data or samples, must be sent to Intersil within 30 days of the publication date.

For additional information regarding this notice, please contact your regional change coordinator (below)			
Americas: PCN-US@INTERSIL.COM	Europe: PCN-EU@INTERSIL.COM	Japan: PCN-JP@INTERSIL.COM	Asia Pac: PCN-APAC@INTERSIL.COM