

## Crimping pliers - CRIMPFOX-RCI 2,5 - 1212053

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Crimping pliers, for insulated cable lugs, 0.5 mm<sup>2</sup> ... 2.5 mm<sup>2</sup> (red, blue), oval crimp

### Your advantages

- ✔ The color-coded dies clearly indicate the cross section
- ✔ Unlockable pressure lock
- ✔ They unlock as soon as the required crimping pressure is reached, therefore ensuring sufficient pressure is applied



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 453820
GTIN	4046356453820

### Technical data

#### Dimensions

Length (b)	198 mm
Width (a)	18 mm
Height (c)	59 mm

#### General

Color	black
Compression	Oval crimp
Type of contact	Insulated cable lugs
Designation	Crimping position 1
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	1.5 mm <sup>2</sup>
AWG min	20
AWG max	16

# Crimping pliers - CRIMPFOX-RCI 2,5 - 1212053

## Technical data

### General

Designation	Crimping position 2
Min. cross section	1.5 mm <sup>2</sup>
Max. cross section	2.5 mm <sup>2</sup>
AWG min	16
AWG max	14
Weight	354 g
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	2.5 mm <sup>2</sup>
AWG min	20
AWG max	14

### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

## Drawings

Product drawing

## Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approval details

## Crimping pliers - CRIMPFOX-RCI 2,5 - 1212053

### Approvals

EAC



RU x-  
DE.xx08.B.02974

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>