


## Data sheet | Item number: 706-5030/400-100

System cable; for Gefanuc 9030; 4 analog inputs; Length: 1 m; Conductor cross-section: 0.25 mm<sup>2</sup>



[www.wago.com/706-5030/400-100](http://www.wago.com/706-5030/400-100)



Color coding acc. to DIN VDE 47100	15 poles Sub-D connector		PLC connector		
	Pin number	Wiring	Pin number	Signal	
White	1	0+	3	+1	
Brown	2	0-	5	-1	
Green	3	1+	4	+2	
Yellow	4	1-	6	-2	
Grey	5	2+	13	+3	
Pink	6	2-	15	-3	
Blue	7	3+	14	+4	
Red	8	3-	16	-4	
Black	9	nc	nc	nc	
Violet	10	nc	nc	nc	
Grey-Pink	11	nc	nc	nc	
Red-Blue	12	nc	nc	nc	
White-Green	13	nc	nc	nc	
Brown-Green	14	nc	nc	nc	
White-Yellow	15	nc	nc	nc	
Shield	Connected to Sub-D				

## Data Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

## Electrical data

Inputs/outputs	4 analog inputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

## Compatibility

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## GE Fanuc

GE Fanuc 9030	IC693 ALG220 IC693 ALG221
---------------	------------------------------

## Connection data

Cable type	LIYCY
Color code	per DIN VDE 47100

## Connection 1

Connector	D-subminiature female connector
Pole number 1	15
Connection type 1	System
Wire cross-section	0.25 mm <sup>2</sup>

## Connection 2

Connector 2	GeFanuc IC 693 ACC 311
Pole number 2	20
Connection type 2	System

## Physical data

Cable length	1 m
--------------	-----

## Material Data

Weight	238 g
--------	-------

## Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

## Commercial data

ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	FR
GTIN	4055143986076

Subject to changes. Please also observe the further product documentation!



Customs tariff number

85444290900

## Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

## Downloads

### Documentation

#### System Description

WAGO System Wiring, Selection Guide

pdf  
545.9 kB

[Download](#)

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 706-5030/400-100

[URL](#)

[Download](#)

System cable; for Gefanuc 9030; 4 analog inputs; Length: 1 m; Conductor cross-section: 0.25 mm<sup>2</sup>

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.