


**REVISIONS**

REV	ECR	DESCRIPTION	DRAWN	DATE
1		ENGINEERING RELEASE	P. BURDGE	09/10/2020

-XX IN THE ENDING OF THE CABLE PART NUMBER IS CALLING OUT THE LENGTH OF THE ASSEMBLY FROM CENTER TO CENTER OF CONNECTORS. EXAMPLE(S) SHOWN BELOW:

LTI P/N: CB0.81-2IPX4L-6IN-60 (6 INCHES)  
 CB0.81-2IPX4L-11.5IN-60 (11.5 INCHES)



LENGTH TOLERANCE FOR CABLE ASSEMBLIES	
Inches	Millimeters
0 - 2IN +/- 0.040	0 - 51 +/- 1
2IN - 6IN +/- 0.080	51 - 153 +/- 2
6IN - 12IN +/- 0.140	153 - 305 +/- 3.5
12IN - 48IN +/- 0.250	305 - 1219 +/- 6.4
48IN - 144IN (12FT) +/- 0.500	1219 - 3658 +/- 13
144IN (12FT) - ABOVE +/- 1.0	3658 - ABOVE +/- 25

UNLESS OTHERWISE SPECIFIED ON DRAWING

ITEM	PART NUMBER	DESCRIPTION	QTY
1	0.81MM MICRO COAX	CABLE, 0.81 MICRO COAX, WHITE	AR
2	IPX4LLF11GPB-081	IPX4L (MHF4L), RHT ANGLE, JACK, CABLE CRIMP	2

MHF IS A REGISTERED TRADEMARK OF I-PEX CO., LTD. CORPORATION

**DO NOT SCALE DRAWING**  
 TOLERANCES UNLESS OTHERWISE SPECIFIED  
 DIMENSIONS ARE IN MILLIMETERS  
 X = ±0.5  
 X.X = ±0.25  
 X.XX = ±0.13  
 ANGLE = ±30'

**CUSTOMER APPROVAL**

SIGN / DATE:	
ENG APPR.	
CHECKED	
DRAWN	P. BURDGE 09/10/2020
NAME	DATE

**Lighthouse Technologies**  
 San Diego, CA  
 WWW.RFCONNECTOR.COM

**TITLE:** CABLE ASSY, IPX4L (MHF4L), R/A JACK TO IPX4L (MHF4L), R/A JACK, 0.81 MICRO COAX, WHITE, OPPOSITE ORIENTATION

SIZE	PART/DWG. NO:	REV
<b>B</b>	<b>CB0.81-2IPX4L-XXIN-60</b>	<b>1</b>
SCALE: 4:1	FILE NAME	SHEET 1 OF 1

PROPRIETARY AND CONFIDENTIAL

UNLESS OTHERWISE SPECIFIED: THIS DOCUMENT CONTAINS LIGHTHORSE TECHNOLOGIES INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHTHORSE TECHNOLOGIES. LIGHTHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPYRIGHTS AND TRADE SECRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALL RIGHTS RESERVED.

