

Micron 5400 SSD Part Catalog

Standard MPNs (Non-SED)



| Form Factor | Endurance | Capacity | MPN |
|----------------|-------------------|----------|-------------------------|
| 2.5-inch (7mm) | PRO ¹ | 240 | MTFDDAK240TGA-1BC1ZABYY |
| | | 480 | MTFDDAK480TGA-1BC1ZABYY |
| | | 960 | MTFDDAK960TGA-1BC1ZABYY |
| | | 1920 | MTFDDAK1T9TGA-1BC1ZABYY |
| | | 3840 | MTFDDAK3T8TGA-1BC1ZABYY |
| | | 7680 | MTFDDAK7T6TGA-1BC1ZABYY |
| 2.5-inch (7mm) | MAX ² | 480 | MTFDDAK480TGB-1BC1ZABYY |
| | | 960 | MTFDDAK960TGB-1BC1ZABYY |
| | | 1920 | MTFDDAK1T9TGB-1BC1ZABYY |
| | | 3840 | MTFDDAK3T8TGB-1BC1ZABYY |
| M.2 (22x80mm) | BOOT ³ | 240 | MTFDDAV240TGC-1BC1ZABYY |
| M.2 (22x80mm) | PRO ¹ | 240 | MTFDDAV240TGA-1BC1ZABYY |
| | | 480 | MTFDDAV480TGA-1BC1ZABYY |
| | | 960 | MTFDDAV960TGA-1BC1ZABYY |

¹ Read Intensive: 1.5 DWPD

² Mixed Use: 5.0 DWPD

³ Very Read Intensive: 1.0 DWPD

Micron 5400 SSD Part Catalog

TCG Opal MPNs



| Form Factor | Endurance | Capacity | MPN |
|----------------|-------------------|----------|-------------------------|
| 2.5-inch (7mm) | PRO ¹ | 240 | MTFDDAK240TGA-1BC15ABYY |
| | | 480 | MTFDDAK480TGA-1BC15ABYY |
| | | 960 | MTFDDAK960TGA-1BC15ABYY |
| | | 1920 | MTFDDAK1T9TGA-1BC15ABYY |
| | | 3840 | MTFDDAK3T8TGA-1BC15ABYY |
| | | 7680 | MTFDDAK7T6TGA-1BC15ABYY |
| 2.5-inch (7mm) | MAX ² | 480 | MTFDDAK480TGB-1BC15ABYY |
| | | 960 | MTFDDAK960TGB-1BC15ABYY |
| | | 1920 | MTFDDAK1T9TGB-1BC15ABYY |
| | | 3840 | MTFDDAK3T8TGB-1BC15ABYY |
| M.2 (22x80mm) | BOOT ³ | 240 | MTFDDAV240TGC-1BC15ABYY |
| M.2 (22x80mm) | PRO ¹ | 240 | MTFDDAV240TGA-1BC15ABYY |
| | | 480 | MTFDDAV480TGA-1BC15ABYY |
| | | 960 | MTFDDAV960TGA-1BC15ABYY |

¹ Read Intensive: 1.5 DWPD

² Mixed Use: 5.0 DWPD

³ Very Read Intensive: 1.0 DWPD

Micron 5400 SSD Part Catalog

TCG Enterprise MPNs




| Form Factor | Endurance | Capacity | MPN |
|----------------|-------------------|----------|-------------------------|
| 2.5-inch (7mm) | PRO ¹ | 240 | MTFDDAK240TGA-1BC16ABYY |
| | | 480 | MTFDDAK480TGA-1BC16ABYY |
| | | 960 | MTFDDAK960TGA-1BC16ABYY |
| | | 1920 | MTFDDAK1T9TGA-1BC16ABYY |
| | | 3840 | MTFDDAK3T8TGA-1BC16ABYY |
| | | 7680 | MTFDDAK7T6TGA-1BC16ABYY |
| 2.5-inch (7mm) | MAX ² | 480 | MTFDDAK480TGB-1BC16ABYY |
| | | 960 | MTFDDAK960TGB-1BC16ABYY |
| | | 1920 | MTFDDAK1T9TGB-1BC16ABYY |
| | | 3840 | MTFDDAK3T8TGB-1BC16ABYY |
| M.2 (22x80mm) | BOOT ³ | 240 | MTFDDAV240TGC-1BC16ABYY |
| M.2 (22x80mm) | PRO ¹ | 240 | MTFDDAV240TGA-1BC16ABYY |
| | | 480 | MTFDDAV480TGA-1BC16ABYY |
| | | 960 | MTFDDAV960TGA-1BC16ABYY |

¹ Read Intensive: 1.5 DWPD

² Mixed Use: 5.0 DWPD

³ Very Read Intensive: 1.0 DWPD

5400 SSD Part Number Decoder



Micron's 5400 SSD is available in different configurations and capacities. The chart above is a comprehensive list of options for the 5400 series devices; not all options listed can be combined to define an offered product. Visit www.micron.com for a list of valid part numbers.

