

### Item description

WAGO Lighting Management is a highly sophisticated solution for lighting control in large spaces, such as production facilities and warehouses. Using a combination of predefined hardware and user-friendly software, WAGO offers a lighting management system that facilitates the design and commissioning of new lighting systems while providing numerous additional advantages for their operation. The basic idea: WAGO Lighting Management is ready for the vastly different light requirements of warehouses and production facilities. For example, a production facility can be divided into virtual rooms in which the light can be flexibly adapted. Each virtual room receives signals from sensors and actuators in order to automatically set the appropriate light intensity. Virtual rooms allow quick, easy implementation of both conversions and remodeling via Web configuration.

### Compatible Controller:

- Controller PFC200; 2nd Generation; Item No.: 750-8212

### Data

#### Notes

Note	The "Lighting Management" Software is a pre-programmed application based on the <i>e!COCKPIT</i> Development Environment and can be used for both PFC200 G2 Controllers or Touch Panels 600.
------	--

Subject to changes. Please also observe the further product documentation!



To download the application and license to the device, WAGOupload software is required, which can be obtained free of charge from the WAGO homepage. Internet connection may be required for license activation.

## Delivery

Delivery type	License certificate by email (software available for download)
Licence Generation	DRM

## Commercial data






ETIM 8.0	EC000757
ETIM 7.0	EC000757
PU (SPU)	1 pcs
Country of origin	QU
GTIN	4055143962858
Customs tariff number	8888888888

## Environmental Product Compliance















RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Optional accessories

### Application

Power measurement		
	<b>Item no.: 750-495/000-001</b> 3-Phase Power Measurement; 690 VAC, 5 A	<a href="http://www.wago.com/750-495/000-001">www.wago.com/750-495/000-001</a>
	<b>Item no.: 750-495/000-002</b> 3-Phase Power Measurement; 690 VAC Rogowski coils	<a href="http://www.wago.com/750-495/000-002">www.wago.com/750-495/000-002</a>
	<b>Item no.: 750-495</b> 3-Phase Power Measurement; 690 VAC, 1 A	<a href="http://www.wago.com/750-495">www.wago.com/750-495</a>
Serial interface RS-232/485		
	<b>Item no.: 750-652</b> RS-232/485 Serial Interface	<a href="http://www.wago.com/750-652">www.wago.com/750-652</a>
Digital output		
	<b>Item no.: 750-1504</b> 16-channel digital output; 24 VDC; 0.5 A	<a href="http://www.wago.com/750-1504">www.wago.com/750-1504</a>
DALI interface		

Subject to changes. Please also observe the further product documentation!

	<b>Item no.: 753-647</b> DALI Multi-Master	<a href="http://www.wago.com/753-647">www.wago.com/753-647</a>
RTC module		
	<b>Item no.: 750-640</b> Real-time clock Module	<a href="http://www.wago.com/750-640">www.wago.com/750-640</a>
KNX interface		
	<b>Item no.: 753-646</b> KNX/EIB/TP1 Interface	<a href="http://www.wago.com/753-646">www.wago.com/753-646</a>
Digital input		
	<b>Item no.: 750-1405</b> 16-channel digital input; 24 VDC; 3 ms	<a href="http://www.wago.com/750-1405">www.wago.com/750-1405</a>
Bus end module		
	<b>Item no.: 750-600</b> End Module	<a href="http://www.wago.com/750-600">www.wago.com/750-600</a>
<b>Sensors</b>		
Sensor		
	<b>Item no.: 2851-8201</b> WAGO DALI Multi-Sensor Kit	<a href="http://www.wago.com/2851-8201">www.wago.com/2851-8201</a>
	<b>Item no.: 2851-8202</b> DALI sensor coupler	<a href="http://www.wago.com/2851-8202">www.wago.com/2851-8202</a>
	<b>Item no.: 2852-7208</b> 4p4c connection cable, 50 cm	<a href="http://www.wago.com/2852-7208">www.wago.com/2852-7208</a>
	<b>Item no.: 2852-7204</b> DALI Sensor Coupler E / DALI sensor coupler for external sensors	<a href="http://www.wago.com/2852-7204">www.wago.com/2852-7204</a>
	<b>Item no.: 2852-7206</b> HF LS LI / Control units for light management systems	<a href="http://www.wago.com/2852-7206">www.wago.com/2852-7206</a>
	<b>Item no.: 2852-7203</b> DALI LS/PD LI / Control units for light management systems	<a href="http://www.wago.com/2852-7203">www.wago.com/2852-7203</a>
	<b>Item no.: 2852-7202</b> VISION / Stand-alone motion sensors with switching contact	<a href="http://www.wago.com/2852-7202">www.wago.com/2852-7202</a>
	<b>Item no.: 2852-7201</b> HIGH BAY / Stand-alone motion sensors with switching contact	<a href="http://www.wago.com/2852-7201">www.wago.com/2852-7201</a>
	<b>Item no.: 2852-7205</b> DALI Sensor Coupler HF LS LI / DALI coupler for radar sensor HF LS LI	<a href="http://www.wago.com/2852-7205">www.wago.com/2852-7205</a>

Subject to changes. Please also observe the further product documentation!



**Item no.: 2852-7301**  
DALI XC Control Module with 4 freely programmable inputs

[www.wago.com/2852-7301](http://www.wago.com/2852-7301)



**Item no.: 2852-7207**  
DALI HIGHBAY ADAPTER / Control units for light management systems

[www.wago.com/2852-7207](http://www.wago.com/2852-7207)



**Item no.: 2852-7214**  
DALI-Sensor; PD4N-BMS

[www.wago.com/2852-7214](http://www.wago.com/2852-7214)



**Item no.: 2852-7213**  
DALI-Sensor; PD4-BMS-GH

[www.wago.com/2852-7213](http://www.wago.com/2852-7213)



**Item no.: 2852-7210**  
DALI-Sensor; PD11-BMS-FLAT

[www.wago.com/2852-7210](http://www.wago.com/2852-7210)



**Item no.: 2852-7215**  
Adaptor; Surface mounting set (IP54)

[www.wago.com/2852-7215](http://www.wago.com/2852-7215)



**Item no.: 2852-7230**  
DALI-Sensor; IR Quattro HD DALI 2

[www.wago.com/2852-7230](http://www.wago.com/2852-7230)



**Item no.: 2852-7231**  
DALI-Sensor; IR Quattro SLIM XS DALI 2

[www.wago.com/2852-7231](http://www.wago.com/2852-7231)



**Item no.: 2852-7232**  
DALI-Sensor; IS3360 MX Highbay DALI 2

[www.wago.com/2852-7232](http://www.wago.com/2852-7232)



**Item no.: 2852-7233**  
DALI-Sensor; IS345 MX Highbay DALI 2

[www.wago.com/2852-7233](http://www.wago.com/2852-7233)



**Item no.: 2852-7220**  
DALI-Sensor; MSensor G3 SRC 30 PIR 5DPI WH

[www.wago.com/2852-7220](http://www.wago.com/2852-7220)



**Item no.: 2852-7221**  
DALI-Sensor; MSensor G3 SSM 30 10DPI WH

[www.wago.com/2852-7221](http://www.wago.com/2852-7221)

## Communication

### General accessories



**Item no.: 2852-7901**  
GPS DCF Converter UTC±

[www.wago.com/2852-7901](http://www.wago.com/2852-7901)

EnOcean

Subject to changes. Please also observe the further product documentation!



**Item no.: 2852-7102**  
SRE Repeater with ext. ant. / EasySens Radio Repeater

[www.wago.com/2852-7102](http://www.wago.com/2852-7102)



**Item no.: 2852-7101**  
STC65 RS-485 EVC EnOcean Receiver/Transmitter with RS-485 EVC interface

[www.wago.com/2852-7101](http://www.wago.com/2852-7101)

### Radio Transmitter

EnOcean



**Item no.: 758-940/001-000**  
Radio transmitter; EnOcean easyfit PTM 250; 2-channel lighting control

[www.wago.com/758-940/001-000](http://www.wago.com/758-940/001-000)



**Item no.: 758-940/003-000**  
Radio transmitter; EnOcean easyfit PTM 250; 4-channel lighting control

[www.wago.com/758-940/003-000](http://www.wago.com/758-940/003-000)

### Current transformers

Current transformer terminal block



**Item no.: 2007-8874**  
Compact terminal block; for current and voltage transformers; 6,00 mm<sup>2</sup>; multicoloured

[www.wago.com/2007-8874](http://www.wago.com/2007-8874)



**Item no.: 2007-8877**  
Compact terminal block; for current transformer circuit; 6,00 mm<sup>2</sup>; multicoloured

[www.wago.com/2007-8877](http://www.wago.com/2007-8877)

### Power supplies

Power supply unit



**Item no.: 787-1007**  
Switched-mode power supply; for DALI module (753-647); 1-phase; 18 VDC output voltage; 1.1 A output current; 2,50 mm<sup>2</sup>

[www.wago.com/787-1007](http://www.wago.com/787-1007)



**Item no.: 787-1012**  
Switched-mode power supply; Compact; 1-phase; 24 VDC output voltage; 2.5 A output current

[www.wago.com/787-1012](http://www.wago.com/787-1012)

### Relay module

Relay module



**Item no.: 788-357**  
Relay module; Nominal input voltage: 24 VDC; 1 make contact; Limiting continuous current: 16 A; Red status indicator; Module width: 15 mm

[www.wago.com/788-357](http://www.wago.com/788-357)

## Downloads

### Documentation

#### Manual

Documentation Lighting Management

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



WAGO Lighting Management is the refined solution for lighting control in large spaces such as production facilities and warehouses. Using a combination of predefined hardware and user-friendly software, WAGO offers a lighting management system that facilitates design and commissioning of new lighting systems while providing numerous additional advantages for their operation.

2.1.2  
2023 Jan 12

pdf  
10.7 MB

[Download](#)

### Bid Text

2759-204/261-1000  
X81 - Datei

xml  
14.2 kB

[Download](#)

2759-204/261-1000  
docx - Datei

docx  
41.0 kB

[Download](#)

Tender text Lighting Management  
Tender text for the Lighting Management software – basic functions, detailed functions, configuration

doc  
80.4 kB

[Download](#)

### Instruction Leaflet

Beipackzettel Applikationscontroller  
Beipackzettel mit dem Hinweis auf den Download der Software

pdf  
425.0 kB

[Download](#)

### Tutorial

Installation Tutorial Application Controller  
Video on the installation of the Lighting Management software on the application controller

mp4  
30.6 MB

[Download](#)

### System Description

Solutions, General Product Information

pdf  
315.5 kB

[Download](#)

### Additional Information

Wiring-Instructions

2.1.0  
2022 Jul 28

pdf  
2.6 MB

[Download](#)

## Engineering-Software

### Desktop Application

WAGUpload

URL

[Download](#)

WAGUpload is a stand-alone PC software for transferring, backing up and restoring PLC applications on WAGO 750 Series controllers.

Subject to changes. Please also observe the further product documentation!



## Software Solutions (Applications)

### Lighting management

Lighting Management Application	2.1.2 2023 Jan 12	zip 126.8 MB	Download
---------------------------------	----------------------	-----------------	----------

WAGO Lighting Management is a highly sophisticated solution for lighting control in large spaces such as production facilities and warehouses. Using a combination of predefined hardware and user-friendly software, WAGO offers a lighting management system that facilitates the design and commissioning of new lighting systems while providing numerous additional advantages for their operation.

This download always provides you with the latest version of WAGO Lighting Management that we strongly recommend for new installations. When upgrading existing installations that use older versions (V1.x), we recommend that you keep using V1.2. If you have any questions, please contact WAGO Support.

## Device Files

### Device Driver

KNX Interface Lighting Management KNX interface description for ETS	2018 Jan 29	zip 2.1 kB	Download
--	-------------	---------------	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 2759-204/261-1000 Application Lighting Management; Single License; Online activation		URL	Download
--	--	-----	----------

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.