

Specification Sheet

Part Number: 596-00904



Made with UV-stable inks and materials for durability and weather resistance.

Polyester is resistant to chemicals and solvents and will remain legible in dirty environments.

High abrasion and scuff resistance for high-performance labeling.

Meets NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.

Arc Flash Label, DANGER APPROPRIATE PPE REQUIRED, 5.0" x 3.75", PET, Red/White, 10/pkg

Article Number 596-00904

Type AF5X35D

Color Red (RD)

Quantity Per pack

Product Description	<p>HellermannTyton makes it easier than ever for solar installers to meet PV labeling codes. Solar Label Convenience Packs allow installers to quickly and economically purchase high quality preprinted NEC code-compliant solar installation labels. Packaged in 10-count quantities to meet the needs of smaller scale solar installations and independent contractors, Solar Label Convenience Packs are available in HellermannTyton's most popular preprinted NEC code-compliant solar label formats. Each Solar Label Convenience Pack contains 10 solar installation labels. Choose from a variety of regular and reflective preprinted labels. For enhanced durability, clear laminate overlay labels are also available in a convenience pack.</p>
Short Description	<p>Arc Flash Label, DANGER APPROPRIATE PPE REQUIRED, 5.0" x 3.75", PET, Red/White, 10/pkg</p>
Global Part Name	<p>AF5X35D-840/281-RD</p>
Width W (Imperial)	<p>5.00</p>
Width W (Metric)	<p>127</p>
Thickness T (Imperial)	<p>0.0025</p>
Thickness T (Metric)	<p>64.0</p>
Height H (Imperial)	<p>3.75</p>
Height H (Metric)	<p>95.25</p>
Material	<p>Type 840/281, Polyester, UV-stabilised, clear polyester laminate (840/281)</p>

Material Shortcut	840/281
Adhesive	Acrylic
Halogen Free	Yes
UV Resistant (Yes/No)	Yes
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Certification/Specification	NEC2014 NEC2020 NEC2017 NEC2011 NEC2023
Warranty (US)	Yes
UL Recognized (US)	Yes
Package Quantity (Imperial)	10
Package Quantity (Metric)	10
Customs Number	3919905060
Labels per Column	1
Labels per Row	1

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)