

## Specification Sheet

Part Number: 161-60001



Helawrap, Application Tool for HWPP08 and HWPA6V08, 5/16", Blue, 10/pkg

|                     |   |
|---------------------|---|
| Article Number      | 161-60001   |
| Type                | HAT8  |
| Color               | Blue (BU)   |
| Features & Benefits | <ul style="list-style-type: none"><li>•Designed to glide smoothly through the Helawrap sleeve for easy insertion of cable bundles</li><li>•There is no need to disassemble wire harness when using the Helawrap Application Tool</li><li>•Tool is designed for post-installation applications, allowing for unplanned engineering changes to be corrected with ease</li></ul> |
| Quantity Per        | bag   |

### Product Description

The Helawrap Applicator Tool enables the user to bundle cable rapidly and effortlessly. The applicator tool has been optimized to glide smoothly and securely through the cover and therefore allow easy insertion of cable into Helawrap. The unique design also allows individual cables to be separated from the applicator tool and branched off through the cover apertures. A tool is included with each Helawrap box. Additional tools can be purchased separately.

|                                    |   |
|------------------------------------|---|
| <b>Short Description</b>           | Helawrap, Application Tool for HWPP08 and HWPA6V08, 5/16", Blue, 10/pkg |
| <b>Global Part Name</b>            | HAT8-PA66-BU  |
| <b>Nominal Diameter (Imperial)</b> | 5/16  |
| <b>Nominal Diameter (Metric)</b>   | 8   |
| <b>Material</b>                    | Polyamide 6.6 (PA66)  |
| <b>Material Shortcut</b>           | PA66  |
| <b>Halogen free</b>                | Yes   |
| <b>UV Resistant (Yes/No)</b>       | Yes   |
| <b>Reach Complaint(Article 33)</b> | Yes   |
| <b>ROHS Complaint</b>              | Yes   |
| <b>Package Quantity(Imperial)</b>  | 10  |
| <b>Package Quantity (Metric)</b>   | 10  |
| <b>Customs Number</b>              | 8205599000  |
| <b>Content Unit(BMEcat)</b>        | pack  |

**Weight (Metric)**

0.035

**Weight (Imperial)**

0.08