

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018674](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Impact Backplane Press-In Tool, 3-Pair by 8-Column Assemblies

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Impact
Tool Type	Press-Fit Insertion Tool
UPC	883906297176
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.


Physical

Net Weight 52.270/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622018674-001, TM-622018799-001](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Not Relevant

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

Impact Backplane Signal Module [76165](#)

Application Tooling | [FAQ](#)

Description	Product #
-------------	-----------

Impact 100 Ohm 3 Pair Vertical Backplane Header, Unguided, Open Endwall, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, MAPS, Lead Free	1712921808
--	----------------------------

Impact 100 Ohm 3 Pair Vertical Backplane Header, Unguided, Open Endwall, 8 Columns, 72 Circuits, Pin Length 4.50mm, Plated Through Hole	761651803
--	---------------------------

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651804

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651805

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651806

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651807

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651808

3 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651813

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651814

3 Pair Vertical
Backplane Header,

Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651815

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651816

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651817

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651818

3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651823

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651824

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651825](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651826](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651827](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651828](#)

3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761651833](#)

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651834](#)

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761651835](#)

3 Pair Vertical
Backplane Header,

Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761651836

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651837

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761651838

3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653803

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761653804

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761653805

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761653806

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653807

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653808

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761653867

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm ,
Key Orientation F,
Lead-Free

Impact 100 Ohm 761653877

3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm ,
Key Orientation G,
Lead-Free

Impact 100 Ohm 761655803

3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761655804
3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761655805
3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761655806
3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761655807
3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761655808
3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761655867
3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm ,
Key Orientation F,
Lead-Free

Impact 100 Ohm 761657803
3 Pair Vertical
Backplane Header,
Left Guide, Right

Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761657804

3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761657805

3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761657806

3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761657807

3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761657808

3 Pair Vertical
Backplane Header,
Left Guide, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761659803

3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761659804

3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761659805

3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761659806

3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761659807

3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761659808

3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761659827

3 Pair Vertical
Backplane Header,
Right Guide, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm ,
Key Orientation B,
Lead-Free

This document was generated on 06/25/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION