

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 1 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier : THERM-A-GAP™ GEL30 (XTS-8030)

Product Code(s) : GEL30 (XTS-8030)

SDS No. : PHC-133 EU

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Fully cured dispensable gel for use in gap filling.

Use pattern: professional use

No restrictions on use known.

1.3 Details of the supplier of the safety data sheet:

Parker Hannifin Ltd., Seal Group

Chomerics Division Europe

Unit 6 Century Point

Halifax Road

High Wycombe

Bucks, HP12 3SL

United Kingdom

E-mail: chomerics_europe@parker.com

Website: www.chomerics.com

Telephone : 044 (0) 1494 455 400

1.4 Emergency Telephone Number

: +1-352-323-3500 (INFOTRAC - United States of America)

Poisons Information Centre

Germany +49-30-18412-0

1.5 National Contact

: E-mail: chomerics_europe@parker.com

Website: www.chomerics.com

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

gel - pink. No odour.

Most important hazards:

Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. See Section 12 for more environmental information.

The product is not classified as hazardous according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Hazard pictogram(s)

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 2 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

None required according to Regulation (EC) No. 1272/2008.

Signal word:

EUH210 - Safety data sheet available on request.

Hazard statements:

None required according to Regulation (EC) No. 1272/2008.

Precautionary statements:

None required according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. This product is a cured silicone material. The ingredients listed in Section 3 are encapsulated within the silicone matrix, therefore no exposure to these materials is expected during normal use/handling of this product. May cause mild respiratory irritation at higher temperatures. Inhalation of fumes may result in metal fume fever, a flu-like illness. Prolonged or repeated contact with skin may cause irritation in some cases. Prolonged exposure may cause eye irritation. May cause gastrointestinal irritation.

PBT assessment:

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical nature : Cured silicone (Resin).

The following substances shall be indicated according to legislation:

Substance name	<u>CAS No</u>	<u>EC No.</u>	<u>Reach Registration No.</u>	<u>% Weight</u>	<u>Classification according to Regulation (EC) nr. 1272/2008</u>	<u>SCL, M-factor, ATE</u>
The following ingredients of the Cured silicone are encapsulated within the silicone matrix:						
Aluminium oxide	1344-28-1	215-691-6	Not applicable.	85.0 - 95.0	not hazardous. Substances for which there are Community workplace exposure limits.	Not applicable.

For the full text of the H phrases not mentioned in this Section or in Section 2, see Section 16.

SECTION 4. FIRST-AID MEASURES

4.1 Description of first aid measures

Ingestion : Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. When symptoms persist or in all cases of doubt, seek medical advice.

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 3 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. When symptoms persist or in all cases of doubt, seek medical advice.
- Skin contact* : For skin contact, wash with soap and water while removing contaminated clothing. When symptoms persist or in all cases of doubt, seek medical advice.
- Eye contact* : Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. When symptoms persist or in all cases of doubt, seek medical advice.

4.1.2 Self-protection for the first aider

- : None known or reported by the manufacturer.

4.2 Most important symptoms and effects, both acute and delayed

- : This product is a cured silicone material. The ingredients listed in Section 3 are encapsulated within the matrix, therefore, no exposure to these materials is expected during proper use/handling of this product. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath. May cause mild respiratory irritation at higher temperatures. May cause coughing and breathing difficulties. Prolonged exposure may cause eye irritation. Prolonged or repeated contact with skin may cause irritation in some cases. Exposure may cause temporary irritation, redness or discomfort. If material is ingested, may cause irritation to mucous membranes. May cause nausea, stomach pain and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

- : Provide general supportive measures and treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

- : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

- : None known.

5.2 Special hazards arising from the substance or mixture

- : Not classified as flammable. However, may burn if exposed to extreme heat and flame. Burning produces obnoxious and toxic fumes. The pressure in sealed containers can increase under the influence of heat. In the event of fire the following can be released: Carbon oxides; Metal oxides; formaldehyde; Silicon oxides; Nitrogen oxides (NOx).

5.3 Advice for firefighters

Protective equipment for fire-fighters

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

- : Keep people away from and upwind of spill/leak. Wear appropriate protective equipment.

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 4 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

6.2 Environmental precautions

- : Prevent product from entering drains, sewers, waterways and soil. Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Contact the proper local authorities.

6.4 Reference to other sections

- : Refer to protective measures listed in sections 7 and 8. Refer to Section 13 for disposal of contaminated material.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

- : Use with adequate ventilation. Wear suitable protective equipment during handling. Avoid breathing dust, fume or vapors. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep away from incompatibles. Keep containers closed when not in use. Wash thoroughly after handling. Avoid release to the environment.

7.2 Conditions for safe storage, including any incompatibilities

- : Storage conditions 10-32 °C (50-90°F) Inspect periodically for damage or leaks. Do not store near any incompatible materials (see Section 10).

7.3 Specific end use(s)

- : Fully cured dispensable gel for use in gap filling.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Exposure Limits:			
Chemical Name	Exposure Limits	Type	Notes
Aluminium oxide	10 mg/m ³ (TWA)	France (OEL)	None.
	6 mg/m ³ (respirable dust) (TWA)	Hungary (OEL)	None.
	2.5 mg/m ³ (inhalable); 1.2 mg/m ³ (respirable dust) (TWA)	Poland (OEL)	None.
	10 mg/m ³ (TWA)	Spain (OEL)	None.
	5 mg/m ³ (Total dust); 2 mg/m ³ (respirable dust) (TWA)	Sweden (OEL)	None.
	10 mg/m ³ (inhalable); 4 mg/m ³ (respirable dust) (TWA)	The United Kingdom (WELs)	None.

Biological Exposure Indices:

No biological exposure limits noted for the ingredient(s).

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 5 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Biological Exposure Indices:

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL): No information available.

Predicted No Effect Concentration (PNEC): No information available.

8.2 Exposure controls

Ventilation and engineering measures

: Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits. Good ventilation (typically 10 air changes per hour) should be sufficient to control airborne levels. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. Seek advice from respiratory protection specialists.

Skin protection : For prolonged or repeated contact use protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it. Wear sufficient clothing to prevent skin contact.

Eye / face protection : Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields
See also EN 166. .

Other protective equipment

: Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing dust, fume or vapors. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

8.3 Environmental exposure controls

: Avoid release to the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state : gel - pink
Colour : pink
Odour : No odour.
Odour threshold : No information available.
pH : No information available.
Flash point : > 275°C
Flashpoint (Method) : No information available.
Lower flammable limit (% by vol.)
: No information available.
Upper flammable limit (% by vol.)
: No information available.
Auto-ignition temperature
: No information available.

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 6 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Decomposition temperature

: No information available.

Oxidizing properties : None known.

Explosive properties : Not explosive

Initial boiling point and boiling range

: No information available.

Melting/Freezing point : No information available.

Relative density : > 1.0

Solubility in water : Insoluble.

Other solubility(ies) : No information available.

Vapour pressure : No information available.

Vapour density : No information available.

Partition coefficient: n-octanol/water

: No information available.

Viscosity : No information available.

Evaporation rate (BuAe = 1)

: No information available.

Particle characteristics : Not applicable.

9.2 Other Information

Volatiles (% by weight) : negligible

Volatile organic Compounds (VOC's)
: No information available.

Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity : Not normally reactive.

10.2 Chemical stability : Stable under normal conditions.

10.3 Possibility of hazardous reactions

: Hazardous polymerization does not occur. No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid : Direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.

10.5 Incompatible materials

: Strong oxidizing agents; Strong acids

10.6 Hazardous decomposition products

: None known.

Burning produces obnoxious and toxic fumes. In the event of fire the following can be released: Carbon oxides; Metal oxides; formaldehyde; Silicon oxides; Nitrogen oxides (NOx).

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological effects:

Acute toxicity : According to the classification criteria of the European Union, this product is not considered as being an acutely toxic chemical.

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 7 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

Skin corrosion/Irritation : According to the classification criteria of the European Union, this product is not considered as being a skin corrosive or irritant.

Serious eye damage/irritation

: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Respiratory or skin sensitisation

: Not expected to be a skin or respiratory sensitizer.

Germ cell mutagenicity : Contains no ingredient listed as a mutagen.

Carcinogenicity : Contains no ingredient listed as a carcinogen.

Reproductive toxicity : Contains no ingredient listed as toxic to reproduction.

STOT-single exposure : According to the classification criteria of the European Union, this product is not expected to cause target organ toxicity through a single exposure.

STOT-repeated exposure : According to the classification criteria of the European Union, this product is not expected to cause target organ toxicity through repeated exposures.

Aspiration hazard : According to the classification criteria of the European Union, this product is not considered as being an aspiration hazard to humans.

Routes of exposure : Eye contact; Skin contact; Inhalation; Ingestion

Effects of acute exposure : Inhalation: May cause mild respiratory irritation at higher temperatures. May cause coughing and breathing difficulties. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath. Avoid heating, which will result in the liberation of formaldehyde gas. Formaldehyde causes severe respiratory irritation, lung inflammation and pulmonary edema.

Skin contact: Direct skin contact may result in little or no irritation. Direct skin contact may cause temporary redness.

Eye contact: Causes little or no irritation. Exposure may cause temporary irritation, redness or discomfort.

Ingestion: If material is ingested, may cause irritation to mucous membranes. May cause nausea, stomach pain and vomiting.

Potential Chronic Health Effects

: No hazards resulting from the material as supplied.

Information on other Hazards

: None known or reported by the manufacturer.

11.1.1 Acute Toxicity

Toxicological data : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 8 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

<u>Chemical name</u>	LC₅₀(4hr)	LD₅₀	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
The following ingredients of the Cured silicone are encapsulated within the silicone matrix:			
Aluminium oxide	>2.3 mg/L (dust) (no deaths)	> 2000 mg/kg (No mortality)	No information available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity : No data is available on the product itself. Should not be released into the environment.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Aluminium oxide	1344-28-1	> 100 mg/L (Brown trout)	No information available.	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Aluminium oxide	1344-28-1	> 100 mg/L (Daphnia magna)	No information available.	None.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Aluminium oxide	1344-28-1	> 100 mg/L/72hr (Green algae)	No information available.	None.

12.2 Persistence and degradability

: No data is available on the product itself.
Contains the following chemicals which are not readily biodegradable: Aluminium oxide.

12.3 Bioaccumulation potential

: The product itself has not been tested.

12.4 Mobility in soil

: The product itself has not been tested.

12.5 Results of PBT and vPvB assessment

: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.6 Endocrine disrupting properties

: None known or reported by the manufacturer.

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 9 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

12.7 Other Adverse Environmental effects

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8 Additional information : None known.




SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Handling for Disposal : Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a safe way.

Methods of Disposal : Empty containers may contain hazardous residues. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Dispose of in accordance with the European Directives on waste and hazardous waste. Waste must be classified and labelled prior to recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14. TRANSPORTATION INFORMATION

<i>Regulatory Information</i>	14.1 UN Number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing Group	<i>Label</i>
ADR/RID	None.	not regulated	not regulated	none	
ADR/RID Additional information	Not classified as dangerous for conveyance in the meaning of the regulations for the transport of dangerous goods by road and rail.				
ICAO/IATA	None.	Not regulated.	not regulated	none	
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	
IMDG Additional information	None.				

14.5 Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

14.6 Special precautions for user

: Appropriate advice on safety must accompany the package. Avoid release to the environment.

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 10 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: Classification according to Regulation (EC) No. 1272/2008 on the classification of hazardous mixtures.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:

None of the components are specifically listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended

None of the components are specifically listed.

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances:

None of the components are specifically listed.

Directive 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work:

None of the components are specifically listed.

Directive 94/33/EC on the protection of young people at work:

None of the components are specifically listed.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended [including Regulation (EU) 2015/830].

Follow national regulation for work with chemical agents.

German legislation on water endangering substances VwVwS: Water contaminating class (Germany): not water endangering (self classified)

15.2 Chemical safety assessment

: A chemical safety assessment has not been carried out by the Manufacturer of this product.



THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 11 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

SECTION 16. OTHER INFORMATION

Legend

:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS: Chemical Abstract Services
CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
EC: European Community
EC50: Effective Concentration 50%
ECHA: European Chemicals Agency
EEC: European Economic Community
EN: European Standard
EU: European Union
HSDB: Hazardous Substances Data Bank
IATA: International Air Transport Association
IBC: Intermediate Bulk Container
IMDG: International Maritime Dangerous Goods
LC: Lethal Concentration
LD: Lethal Dose
NOEC: No observable effect concentration
OECD: Organisation for Economic Co-operation and Development
OEL: National occupational exposure limits
PEL: Permissible exposure limit
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
RTECS: Registry of Toxic Effects of Chemical Substances
SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
TWA: Time Weighted Average
WEL: Workplace Exposure Limit

Information Source : 1. Material Safety Data Sheet from manufacturer.
2. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2019 (Chempendium, RTECs, HSDB, INCHEM).
3. European Chemicals Agency, Classification Legislation, 2019.
4. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2019.

Preparation Date (dd/mm/yyyy) : 19/11/2019

Reviewed Date SDS (dd/mm/yyyy) : 26/05/2021

Revision No. : 3

Revision Information : (M)SDS sections updated :All (format change)

Regulation and Procedure :

Not applicable.

Other special considerations for handling

: Provide adequate information, instruction and training for operators.



Parker Hannifin Ltd., Seal Group
Chomerics Division Europe
Unit 6 Century Point Halifax Road
High Wycombe Bucks, HP12 3SL
United Kingdom
Telephone: 044 (0) 1494 455 400

THERM-A-GAP™ GEL30 (XTS-8030)

SDS No: PHC-133 EU

SDS Revision Date (dd/mm/yyyy): 26/05/2021

Page 12 of 12

Revision No.: 3

SAFETY DATA SHEET

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended.

<p><u>Prepared for:</u> Parker Hannifin Corp. 77 Dragon Court Woburn, MA, USA 01888 Telephone: 001-781-935-4850 http://www.parker.com Direct all enquiries to Parker Hannifin.</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Parker Hannifin Corporation and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corporation expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corporation.

END OF DOCUMENT