



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)









MATERIAL:


HOUSING: THERMOPLASTIC POLYESTER, UL94V-0

SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
		DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-2WK	G NUMBER: 628-2WK2224-2T4		
	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-2WK	2224-2T4	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female



27W2 Male/Female



21W1 Male/Female




628 COMBO ASSEMBLY


ISSUE

1

8W8 Fema	ale	
	17W2	2 Male/Female
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	***	47.05 23.63 13.8 47.05 4.31 + 9.70. 4.31 + 9.70. 4.31 + 9.70. 4.4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4
	COMBINATION	D-SUB
S SERIES FULLY CONFORMS TO E EUROPEAN UNION DIRECTIVES 1/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SF ARE THE PROPERTY OF E SHALL NOT BE REPRODU OR USED AS THE BASIS FO MANUFACTURE OR SALE (WITHOUT WRITTEN PERMI

4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
	17W2 Male/Female
	47.05






SUB	DRAWN: C.B		DATE: JAN	. 01/20	19
	CHECKED:		DATE:		
SE DRAWINGS AND SPECIFICATIONS THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET 3	OF	4
L NOT BE REPRODUCED,OR COPIED ISED AS THE BASIS FOR THE	DRAWING NUMBER:	628-2WK	2224-2T4		IS
UFACTURE OR SALE OF APPARATUS IOUT WRITTEN PERMISSION.	PART NUMBER:	628-2WK	2224-2T4		

SW REFERENCE NO .:

5W5 Female

COMPLIANT





47.00

23.53




8W8 Male





11W1 Male/Female





 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.



36W4 Female



13W3 Male



36W4 Male








13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT










2.77



			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	:019	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	TORONTO, ONTARIO CANADA	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-2WK2224-2T4		ISSUE
			PART NUMBER: 628-2WK	2224-2T4	1