



Product Change Notification

TE Connectivity

Product Change Notification: PCN-22-130620

PCN Date: 24-FEB-22

TE would like to inform you of the following change(s) to the listed TE Connectivity Product. In case of any further questions about this change(s), please contact your TE Connectivity Sales Engineer. Affected part, drawing and/or specification numbers are listed on the attached sheet(s).

General Product Description:

26pos Mixed TAB HOUSING SEALED

Description of Changes

Please be aware of an upcoming feature change to the listed part numbers. 1-2112041-1/-2 Before: Secondary Locking Rev. A After: Improved Secondary Locking Rev. B
Secondary Locking improved for 5.8x0.8mm Tab Contact regarding 6mm Cable Crimp improved

Other attachments:

[PCN/ECR Form](#)

Reason for Changes:

PCN Attributes:

Product Category:

Connectors

Kind of Change:

Geometry

Change Feature:

Subcomponents (Clip, Tape, Cable, etc)

Potential Customer Impact:

No Customer Impact

Remarks:

Estimated Dates:

Last Order Date (Obsolete Parts Only):

First Ship Date of Changed Items (Changed Parts Only):

30-JUN-2022

Last Ship Date of Changed Items (Obsolete Parts Only):	Last Date for Mixed Shipments: (Changed Parts Only):
	No Mixed Shipments
Effectivity Date:	Date of First Samples:

Part Number(s) being Modified:

Part Number	Part Discontinued per PCN	Customer Drawing	Customer Part Number	Alias Part Number(s)	Substitute Part Number	Substitute Alias Part Number(s)	Description Of Difference
1-2112041-1	NO						
1-2112041-2	NO						

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

Customer Drawing(s) Being Modified:

Drawing Number	Related Part Number	Customer Part Number	Current Revision	New Revision
2112041	1-2112041-1		B3	

Part Number(s) being Modified:

Part Number	Part Discontinued per PCN	Customer Drawing	Customer Part Number	Alias Part Number(s)	Substitute Part Number	Substitute Alias Part Number(s)	Description Of Difference
1-2112041-1	NO						

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

Customer Drawing(s) Being Modified:

Drawing Number	Related Part Number	Customer Part Number	Current Revision	New Revision
2112041	1-2112041-1		B3	

Part Number(s) being Modified:

Part Number	Part Discontinued per PCN	Customer Drawing	Customer Part Number	Alias Part Number(s)	Substitute Part Number	Substitute Alias Part Number(s)	Description Of Difference
1-2112041-1	NO						
1-2112041-2	NO						

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

Customer Drawing(s) Being Modified:

Drawing Number	Related Part Number	Customer Part Number	Current Revision	New Revision
2112041	1-2112041-1		B3	

PCN Description of Eng. Changes

PCN No.
OEM / CAM informed
Estimated First Date for samples

PCN-22-130620					
Not necessary					
01.07.2022					

Picture:

REV	1-212041-2	1-212041-1
B		
B		

max. 0.2 Δ

"CABLE OUTLET LEFT" AS SHOWN
"Kabelabgang Links" wie gezeigt

1		1	MVQ	WHITE weiss	SEAL FOR SECONDARY LOCKING DEVICE Dichtung für 2.Kontaktsicherung	G	4
1		1	MVQ	GREEN grün	SEAL FOR TAB HOUSING Dichtung für Flachsteckergehäuse	A	3
1		1	PBT-GF30-V0	YELLOW gelb	SECONDARY LOCKING DEVICE Zweite Kontaktsicherung	A	2
1		-	PBT-GF30-V0	BLACK schwarz	26POS., TAB HOUSING, COD A ,CABLE OUTLET RIGHT 26pol. Flachsteckergehäuse, Kodierung A,Kabelabgang rechts	B	1
-		1	PBT-GF30-V0	BLACK schwarz	26POS., TAB HOUSING, COD A ,CABLE OUTLET LEFT 26pol. Flachsteckergehäuse, Kodierung A,Kabelabgang Links	B	1
QUANTITY Stueck	MAT.	COLOR Farbe	DESCRIPTION Beschreibung		REV.	ITEM	

TOLERANCING ISO 8015
TOLERIERUNG ISO 8015

DIESE ZEICHNUNG IST EIN KONTROLLIERTES DOKUMENT.
BEMASSUNGEN UND TOLERANZEN GEMÄSS GPS (ISO STANDARDS).

THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING PER GPS (ISO STANDARDS).

DIMENSIONS:
MASSSTÄBEN
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
ABWICHEN UNLESS ANDERSONS BEZÜGLICH:
PLC ± 0.10 DIN 9130-140
1. PLC ±
2. PLC ±
3. PLC ±
4. PLC ±
ANGLES/NEIGUNG
11.5-24.0°
FINISH/SCHLEIFSTUFEN

MATERIAL
SEE TABLE
siehe Tabelle

07AUG2009
V. Deas
19AUG2009
F. Ellrod

TE Connectivity

26 POS., 1.5 / 2.8 / 5.8 MM.
TAB HOUSING, SEALED
26 pol. Flachsteckergehäuse, gedichtet

SIZE: A1
CAGE CODE: 00779
DRAWING NO.: C-2112041

RESTRICTED TO OUR FILED

CUSTOMER DRAWING /KUNDENZEICHNUNG SCALE: 2:1 SHEET: 1 OF 1

REV	1-212041-2	1-212041-1
C		
C		

max. 0.2 Δ

"CABLE OUTLET LEFT" AS SHOWN
"Kabelabgang Links" wie gezeigt

1		1	MVQ	WHITE weiss	SEAL FOR SECONDARY LOCKING DEVICE Dichtung für 2.Kontaktsicherung	G	4
1		1	MVQ	GREEN grün	SEAL FOR TAB HOUSING Dichtung für Flachsteckergehäuse	A	3
1		1	PBT-GF30-V0	YELLOW gelb	SECONDARY LOCKING DEVICE Zweite Kontaktsicherung	B	2
1		-	PBT-GF30-V0	BLACK schwarz	26POS., TAB HOUSING, COD A ,CABLE OUTLET RIGHT 26pol. Flachsteckergehäuse, Kodierung A,Kabelabgang rechts	B	1
-		1	PBT-GF30-V0	BLACK schwarz	26POS., TAB HOUSING, COD A ,CABLE OUTLET LEFT 26pol. Flachsteckergehäuse, Kodierung A,Kabelabgang Links	B	1
QUANTITY Stueck	MAT.	COLOR Farbe	DESCRIPTION Beschreibung		REV.	ITEM	

TOLERANCING ISO 8015
TOLERIERUNG ISO 8015

DIESE ZEICHNUNG IST EIN KONTROLLIERTES DOKUMENT.
BEMASSUNGEN UND TOLERANZEN GEMÄSS GPS (ISO STANDARDS).

THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING PER GPS (ISO STANDARDS).

DIMENSIONS:
MASSSTÄBEN
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
ABWICHEN UNLESS ANDERSONS BEZÜGLICH:
PLC ± 0.10 DIN 9130-140
1. PLC ±
2. PLC ±
3. PLC ±
4. PLC ±
ANGLES/NEIGUNG
11.5-24.0°
FINISH/SCHLEIFSTUFEN

MATERIAL
SEE TABLE
siehe Tabelle

07AUG2009
V. Deas
19AUG2009
F. Ellrod

TE Connectivity

26 POS., 1.5 / 2.8 / 5.8 MM.
TAB HOUSING, SEALED
26 pol. Flachsteckergehäuse, gedichtet

SIZE: A1
CAGE CODE: 00779
DRAWING NO.: C-2112041

RESTRICTED TO OUR FILED

CUSTOMER DRAWING /KUNDENZEICHNUNG SCALE: 2:1 SHEET: 1 OF 1

OLD
NEW

x	Potential Impact for Customer	x	Product Type	x	Change Type	x	Kind of Change	x	Change Feature	Remark / Free text
x	No Customer Impact	x	RF CONNECTOR	x	Form, Fit, Function	x	Geometry	x	Subcomponents (clip, tape, cable, etc.)	The secondary locking feature for 5.8x0.8 Tab Contacts was improved for 6mm ² cable crimps. There is no impact on customer side but an improvement in combination with 5.8x0.8mm contacts.