


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)

ORIGINAL






NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING






SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



			SW REFERENCE NO.: 627 COMBO ASSEMBLY					1	
COM	IBINATION	D-SUB	DRAWN:	C.B		DATE: JA	N. 01/20	19	1
			CHECKED:		DATE:			1	
	DAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	(IN C.A.D. 1:	1)	SHEET 1	OF	4	1
	DRONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-21W		4222-2TA		ISSUE		
YOUR CONNECTION TO QUALITY	Y & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUM	IBER:	627-21W4	222-2TA		1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



0 TH 10 1 1 1






		11W1 N	Male/Female	27W2 Male/Fen	nale
8W	8 Female	and the second s	33.30 16.65 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70		63. 270 16.52 \$ \$ \$ \$ \$ \$ \$ \$ \$ 2.77
CURRENT RATING / Ø	A	17W2 N	Male/Female	21W1 Male/Fer	nale
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		H2 271	47.05 23.03 .3.1 .3.1 .3.70 .3.70 .3.70 .3.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.70 .5.7		47. 16.52 15.24 \$ \$ \$ \$ \$ 2.77
				SW REFERENCE NO.: 62 DRAWN: C.B	27 COM
	CON	COMBINATION D-SUB			DA
				CHECKED:	DA
FULLY CONFORMS TO		DAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SH
AN UNION DIRECTIVES	TORON	NTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER 627-2	1\//422


5W5 Male


5W5 Female



47.05

8W8 Male





4 4 1 4 (4 1 4 - 1 - 15

THIS SERIES FULLY THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

	SW REFERENCE NO.: 627 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-21W	4222-2TA	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.		PART NUMBER: 627-21W	4222-2TA	1	

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.






9W4 Male




25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영

25W3 Female


36W4 Female



13W3 Male



36W4 Male








13W6 Male



43W2 Male






.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male






2.77







2.77

		SW REFERENCE NO.: 627 COMBO ASSEMBLY				
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:			
ТО	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4	
VES NCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-21W4222-2TA		ISSUE	
			PART NUMBER: 627-21	V4222-2TA	1	



THIS SERIES FULLY CONFORMS T THE EUROPEAN UNION DIRECTIV 2011/65/EU FOR RoHS COMPLIANC