

## Crimping pliers - CRIMPFOX-CX 5,41-M - 1212712

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Crimping pliers, compact pliers, coaxial connectors, 0.7 mm, 1.07 mm, 1.69 mm, 3.25 mm, 4.52 mm, 5.41 mm, six marked die stations, unlockable pressure lock, lateral entry, hex crimp

The figure shows a version of the article

### Your advantages

- Crimping pliers for processing coaxial connectors
- Unlockable pressure lock
- Lateral conductor entry

### Key Commercial Data

|              |   |
|--------------|---|
| Packing unit | 1 pc  |
| GTIN         | <br>4 046356 857611 |
| GTIN         | 4046356857611   |

### Technical data

#### Dimensions

|            |        |
|------------|--------|
| Length (b) | 204 mm |
| Width (a)  | 22 mm  |
| Height (c) | 76 mm  |

#### General

|                    |                      |
|--------------------|----------------------|
| Color              | black                |
| Compression        | HEX crimp            |
| Type of contact    | Coaxial connectors   |
| Min. cross section | 0.72 mm <sup>2</sup> |
| Max. cross section | 5.41 mm <sup>2</sup> |
| Weight             | 500 g                |

### Environmental Product Compliance

|                           |   |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

# Crimping pliers - CRIMPFOX-CX 5,41-M - 1212712

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 21043811 |
| eCl@ss 11.0   | 21043811 |
| eCl@ss 4.0    | 21040300 |
| eCl@ss 4.1    | 21040300 |
| eCl@ss 5.0    | 21040300 |
| eCl@ss 5.1    | 21040300 |
| eCl@ss 6.0    | 21043800 |
| eCl@ss 7.0    | 21043811 |
| eCl@ss 9.0    | 21043811 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC000168 |
| ETIM 6.0 | EC000168 |
| ETIM 7.0 | EC000168 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 27112118 |
| UNSPSC 7.0901 | 27111518 |
| UNSPSC 11     | 23171604 |
| UNSPSC 12.01  | 27111518 |
| UNSPSC 13.2   | 27111518 |
| UNSPSC 18.0   | 27111518 |
| UNSPSC 19.0   | 27111518 |
| UNSPSC 20.0   | 27111518 |
| UNSPSC 21.0   | 27111518 |

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

## Crimping pliers - CRIMPFOX-CX 5,41-M - 1212712

### Approvals

EAC



RU x-  
DE.xx08.B.02974

Phoenix Contact 2021 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>