

ITEM	PART#	DESCRIPTION	QTY	UOM
A	334724006	MX150 ASSY RCP 2x2 CPA BLK A/4	1	PC
C	330123001	MX150 RCPT 0.3 TIN 14/16AWG D WIND SLD	4	PC
D	884260070	PAPER PRINTED PAPER WHITE (S100X150YAJ)	1	PC

FROM	TO	CABLE PART#	DESCRIPTION	COLOR
A1	--	100027101	14AWG DISC PVC BK OD 2.4 TXL BALAJI	BLACK
A2	--	100027101	14AWG DISC PVC BK OD 2.4 TXL BALAJI	BLACK
A3	--	100027101	14AWG DISC PVC BK OD 2.4 TXL BALAJI	BLACK
A4	--	100027101	14AWG DISC PVC BK OD 2.4 TXL BALAJI	BLACK




TABLE			
PART NUMBER	L1	L2	TITLE
2162861041	150±8	63 REF	MX150 R-S DR 4ckt 150mm Sn sealed cable
2162861042	300±10	138 REF	MX150 R-S DR 4ckt 300mm Sn sealed cable
2162861043	600±10	288 REF	MX150 R-S DR 4ckt 600mm Sn sealed cable

- NOTES**
1. Connector view shown is from mating side.
 2. Label text must be 2mm max. in height with Arial font.
 3. Label must be wrapped in flag type on a single cable.
 4. The free ends to be stripped twisted and tinned to the length of 5±1. the tinning dia must be 2.2 mm max
 5. Sealing should pass the IP67 rating as defined by product spec.

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A

FUNCTIONAL SYMBOLS $\frac{E}{A} = 0$ $\frac{E}{E} = 0$ $\frac{E}{P} = 0$	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:			
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 643544 DRWN: NNANKOLA 2020/06/29 CHK'D: SD 2020/08/31 APPR: SD 2020/08/31
	mm	NTS	ANGULAR TOL ± °			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING		SERIES