


## Specification Sheet

Part Number: 170-03180



Braided Sleeving, Expandable, Splice Free, .25" Dia, PET, Black, 1000 ft/bulk reel

<b>Article Number</b>	170-03180
<b>Type</b>	BSP140BSF
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Weave construction adjusts to twisting and flexing without creating wrinkles or bends.</li><li>• Durable construction offers excellent abrasion and cut-through resistance as well as inertness to most chemicals and fungus.</li><li>• Color options available to provide easy visual and safety identification of critical wiring components.</li><li>• Expands to 150% of nominal diameter for fast, easy installation.</li></ul>
<b>Quantity Per</b>	reel
<b>Product Description</b>	General purpose expandable braided sleeving provides flexible abrasion protection for wire bundles and hoses.
<b>Short Description</b>	Braided Sleeving, Expandable, Splice Free, .25" Dia, PET, Black, 1000 ft/bulk reel

Global Part Name

BSP140BSF-PET-BK

Length L (Imperial)

1000.0

Bundle Diameter Min (Imperial)

0.125

Bundle Diameter Min (Metric)

3.2

Bundle Diameter Max (Imperial)

0.437

Bundle Diameter Max (Metric)

11.1

Diameter D (imperial)

0.437

Diameter D (metric)

10.9

Nominal Diameter (Imperial)

1/4

Nominal Diameter (Metric)

6.35

Material

Polyester (PET)

Material Shortcut

PET

Flammability

UL 94 V0 FAR 25 FMVSS 302

Halogen free

Yes

Operating Temperature (Metric)

-94°F to +257°F (-70°C to +125°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**UL Recognized (US)**

Yes

**Package Quantity(Imperial)**

1000

**Package Quantity (Metric)**

304.80

**Customs Number**

5808100000