

Final Product/Process Change Notification Document #:FPCN25184Z1

Issue Date:18 Jan 2023

Title of Change:	Update to FPCN25184Z with No Marking change & traceability by date code of the previous announced Front barrier metal adhesion improvement by changing barrier metal scheme.	
Proposed Changed Material First Ship Date:	11 Jul 2023 or earlier if approved by customer	
Current Material Last Order Date:	31 Mar 2023 Orders received after the Current Material Last Order Date expiration are to be considered as orders for new changed material as described in this PCN. Orders for current (unchanged) material after this date will be per mutual agreement and current material inventory availability.	
Current Material Last Delivery Date:	10 Jul 2023 The Current Material Last Delivery Date may be subject to change based on build and depletio of the current (unchanged) material inventory	
Product Category:	Active components – Discrete components	
Contact information:	Contact your local onsemi Sales Office or Peter.Lee@onsemi.com	
PCN Samples Contact:	Contact your local onsemi Sales Office to place sample order. Sample requests are to be submitted no later than 45 days after publication of this change notification. Samples delivery timing will be subject to request date, sample quantity and special customer packing/label requirements.	
Sample Availability Date:	31 Jan 2023	
PPAP Availability Date:	31 Jan 2023	
Additional Reliability Data:	Contact your local onsemi Sales Office or Byeongyeop.Lee@onsemi.com	
Type of Notification:	This is a Final Product/Process Change Notification (FPCN) sent to customers. The change will be implemented at 'Proposed Change Material First Ship Date' in compliance to J-STD-46 or ZVEI, or earlier upon customer approval, or per our signed agreements. onsemi will consider this proposed change and it's conditions acceptable, unless an inquiry is made in writing within 45 days of delivery of this notice. To do so, contact PCN.Support@onsemi.com.	
Change Category		
Category	Type of Change	
Process - Wafer Production	New / change of metallization (specifically chip frontside)	

Description and Purpose:

It is to improve front berrier metal adhesion by changing barrier metal scheme.

	From	То	
	Ti/TiN (500A/900A) TI 2kA with RTA		
Barrier metal scheme	AlSiCu 5um (Red) T/TN1400A (purple)	AlSiCu 5um (Red) Ti 2000 with 650C RTA (Gray)	

There is no product marking change as a result of this change.

TEM001794 Rev. G Page 1 of 3



Final Product/Process Change Notification

Document #:FPCN25184Z1 Issue Date:18 Jan 2023

Reason / Motivation for Change:	Quality improvement		
Anticipated impact on fit, form, function, reliability, product safety or manufacturability:	The device has been qualified and validated based on the same Product Specification. The device has successfully passed the qualification tests. Potential impacts can be identified, but due to testing performed by onsemi in relation to the PCN, associated risks are verified and excluded. No anticipated impacts.		
Sites Affected:			
onsemi Sites		External Foundry/Subcon Sites	
onsemi Bucheon, Korea		None	
Marking of Parts/ Traceability of Change:	There is no product marking change and the change will be identified by datecode		

Reliability Data Summary:

QV DEVICE NAME: NVHL020N120SC1

RRF# 62384 PACKAGE: TO247

Test	Specification	Condition	Interval	Results
HTRB	AEC-Q101 / JESD22-A108	Tj=175C, 100% Max BV	1,008hrs	0/231
HTGB(+)	AEC-Q101 / JESD22-A108	Tj=175C, Vgs= +Max Vgs	1,008hrs	0/231
HTGB(-)	AEC-Q101 / JESD22-A108	Tj=175C, Vgs= -Min Vgs	1,008hrs	0/231
Transient HTGB		Tj=175C, -5V~+20V,100Hz, 50% duty	1,008hrs	0/75
HTSL	JESD22-A103	Ta=175C	1,008hrs	0/231
IOL	MIL-STD-750 (M1037) AEC-Q101	Ta=+25°C, delta Tj=100°C On/off = 5 min	15,000cyc	0/231
RSH	AEC-Q101 / JESD22-B106	260C	10sec	0/30
TC	AEC-Q101 / JESD22-A104	Ta= -55°C to +150°	1,000cyc	0/231
HAST	AEC-Q101 / JESD22-A110	Temp= +130°C, RH=85%, p = 18.8 psig, bias=960V (80% BV)	96hrs	0/231
uHAST	AEC-Q101 / JESD22-A110	Temp= +130°C, RH=85% , p = 18.8 psig	96hrs	0/231

NOTE: AEC-1pager is attached.

To view attachments:

- 1. Download pdf copy of the PCN to your computer
- 2. Open the downloaded pdf copy of the PCN
- 3. Click on the paper clip icon available on the menu provided in the left/bottom portion of the screen to reveal the Attachment field
- 4. Then click on the attached file

Electrical Characteristics Summary:

Electrical characteristics are not impacted.

TEM001794 Rev. G Page 2 of 3



Final Product/Process Change Notification

Document #:FPCN25184Z1 Issue Date:18 Jan 2023

List of Affected Parts:

Note: Only the standard (off the shelf) part numbers are listed in the parts list. Any custom parts affected by this PCN are shown in the customer specific PCN addendum in the PCN email notification, or on the **PCN Customized Portal**.

Current Part Number	New Part Number	Qualification Vehicle
NVHL080N120SC1	NA	NVHL020N120SC1

TEM001794 Rev. G Page 3 of 3