

# Antenna cable - RAD-PIG-RSMA/N-2 - 2903265

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Antenna cable, outside diameter: 5 mm (0.2 in.), inner conductor: solid, attenuation: 0.9 / 1.3 / 2.0 dB at 0.9 / 2.4 / 5.8 GHz, connection: N (male) -> RSMA (male), cable length: 2 m (6.5 ft.)



The figure shows a version of the product

## Product Description

Coaxial antenna adapter cable, N (male) to RSMA (male), 50 Ω, 2.0 m

## Your advantages

- Low attenuation
- UV resistant
- For indoors



## Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356743457

## Technical data

### Dimensions

Fixed cable length	2 m
External diameter	4.95 mm

### Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
---------------------------------	------------------

### General

Connection method	RSMA (male)
	N (male)
Cable type	195
Outer sheath, material	PE

# Antenna cable - RAD-PIG-RSMA/N-2 - 2903265

## Technical data

### General

External sheath, color	black
Minimum bending radius	12.70 mm
Frequency range	0.3 GHz ... 6 GHz
Impedance	50 Ω

### Attenuation

868 / 900 MHz	0.9 dB
2.4 GHz	1.4 dB
5 GHz	2 dB

### Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Approvals

### Approvals

---

#### Approvals


EAC

---

#### Ex Approvals

---

### Approval details

EAC		RU C- DE.A*30.B01735
-----	-------------------------------------------------------------------------------------	-------------------------

---

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>