ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INTERNATION CONNECTING	nposition De 5. IPC, Bannockt Pan-American co	claration ourn, Illinois. A opyright conve	Il rights reserved u ntions.	nder both	This docume level parts, th	ent is a declaration en	n of the substanc compasses all lo	es within the man wer level materials	afacturer lister for which the	d item. Note: i e manufacture	f the item is an as r has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC_1752 Standard Form Type				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				Materials and	als and Mfg Information			
upplier Information													
Company name*			Company unique ID			Unique ID Authority				Response Date*			
onsemi										2023-06-08			
Contact Name Title - Contact			ct	Phone - Contact*				Emai	Email - Contact*				
Product-Env-Stewards F			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title -			tle - Representative			Phone - Representative*			Emai	Email - Representative*			
Product-Env-Stewards P			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Requester Item Number	Requester Item Number Mfr Item					Effective Date	Version	Manufacturing S	lite	Weight*	UOM	Unit Type	
	SCD781	SCD7815BTG ANA 1A 15V VR		EG		2023-06-08 CNC		CNC		1365.61	mg	Each	
Ianufacturing Proccess Inform	nation												
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Base		Alloy J	oy J-STD-020 MSL Rating		Peak Process Body Temperature Max		ture Max Time a	t Peak Tempe	rature Numb	per of Reflow Cyc	cles	
Matte Tin (Sn) - annealed		U Alloy NA			0 C		30	sec	onds 3				
omments													
or more information regarding mater	rial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.61	mg	Supplier	Silicon (Si)	7440-21-3		1.61	mg	
Die Attach	0.21	mg	А	Lead (Pb)	7439-92-1	7a	0.189	mg	
			Supplier	Tin (Sn)	7440-31-5		0.021	mg	
Lead Frame	677.24	mg	Supplier	Silver (Ag)	7440-22-4		0.0339	mg	
			Supplier	Iron (Fe)	7439-89-6		0.6772	mg	
			Supplier	Copper (Cu)	7440-50-8		676.3054	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.2235	mg	
Mold Compound-Black	644.0	mg		Metal Hydroxide	proprietary data		30.268	mg	
			Supplier	Carbon Black (C)	1333-86-4		1.932	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		515.2	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		64.4	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		32.1999	mg	
Plating	42.4	mg	Supplier	Tin (Sn)	7440-31-5		42.4	mg	
Wire Bond - Cu	0.15	mg	Supplier	Copper (Cu)	7440-50-8		0.15	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3