



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


NOTES:

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|--|--|--------------------------------------|------------------|-------|--|
| | | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | CHECKED: | DATE: | | |
| EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | |
| | | DRAWING NUMBER: 627-2WK2224-3T4 | | ISSUE | |
| | | PART NUMBER: 627-2WK | 2224-3T4 | 1 | |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



| COMBINATION D-SUB | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|--|--|--------------------------------------|--------------------|-------|--|
| | | DRAWN: C.B | DATE: JAN. 01/2019 | | |
| | | CHECKED: DATE: | | | |
| EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 3 OF | 4 | |
| | | DRAWING NUMBER: 627-2WK | 2224-3T4 | ISSUE | |
| | | PART NUMBER: 627-2WK | 2224-3T4 | 1 | |

47.00



47.05

23.53

8W8 Male

8W8 Female




63.50

22.97

31.76

22.83




11W1 Male/Female



17W2 Male/Female

23.63 • *

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



COMPLIANT

| | THIS SERIES FULLY CONFORMS TO |
|---|---------------------------------|
| ן | THE EUROPEAN UNION DIRECTIVES |
| Т | 2011/65/EU FOR RoHS COMPLIANCY. |

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male




25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영




36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male






17W5 Female

.XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT



47W1 Male







| | | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | |
|---|--|--|--------------------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | | | DRAWING NUMBER: 627-2WK2224-3T4 | | ISSUE |
| | | | PART NUMBER: 627-2WK | 2224-3T4 | 1 |