




P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECN-20-100801	10DEC2020	BDA	KR



1. PRODUCT PROVIDED IN STRIP FORM ON REELS; BREAKS MAY BE PRESENT.
2. DIMENSIONS IN BRACKETS ARE IN INCHES.
3. CRIMP WIDTH ($\pm 0.13\text{mm}$ [± 0.005 IN]): 3.30mm [.130 IN] (2D CRIMP FORM)
CRIMP HEIGHT ($\pm 0.05\text{mm}$ [± 0.002 IN]): (TOTAL CMA + 10,350) / 210,000


GENERAL APPLICATION GUIDELINES MUST BE FOLLOWED AS SPECIFIED IN CATALOG #TBD. FOR APPLICATOR INFORMATION CALL: 1-800-722-1111
FOR PRODUCT INFORMATION CALL: 1-800-522-6752

- 4 WIRE RANGE: 1500 - 7000 CMA



2238235-1

PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. WEAVER 27AUG2019	 TE Connectivity		
DIMENSIONS: mm [IN]		CHK K. RANDOLPH 27AUG2019			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. KUMAR 27AUG2019	NAME SPLICE, THRU, AMPLIVER 9 SERRATIONS, 2D		
0 PLC ± 1 PLC ± 2 PLC ±0.38 [.015] 3 PLC ± 4 PLC ± ANGLES ±1°		PRODUCT SPEC 108-143147	RESTRICTED TO		
MATERIAL 0.51±0.03 [.020±.001]BRASS		APPLICATION SPEC 114-143147	SIZE A3	CAGE CODE 00779	DRAWING NO C-2238235
FINISH TIN PLATE		WEIGHT -	SCALE 4:1		
CUSTOMER DRAWING		SHEET 1 OF 1		REV A	