



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB			SW REFERENCE NO.: 627 COMBO ASSEMBLY				
				C.B	DATE: JAN. 01/20	19		
			CHECKED:		DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	(IN C.A.D. 1:1)	SHEET 1 OF	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-2WK2222-4T2		ISSUE			
			PART NUI	MBER: 627-2WK	2222-4T2	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male


3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

627-2WK2222-4T2

21W4 Male/Female

STISTIC		orromate					
			33.30 6.65 1.665 1.22 9 9 9 9 9 9 9 9		63.50 31.75 32 + 2.77 30 + + + + + + + + + + + + + + + + + + +		
			11W1 Male/Female	27W2 Male/Female	e		
5W5 Female	47.06 23.83 14.48 14.49 90 90 90 90 90 90 90 90 90 9	8W8 Female	33.30 19.55 9.70 3.31 9.70		53.50 31.75 15.24 ++++++++++++++++++++++++++++++++++++		
		in the second	17W2 Male/Female	21W1 Male/Femal	e		
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA	₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹		47.05 23.65 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	52 ⁰⁰	
					SW REFERENCE NO.: 627 COMBO ASSEMBLY		
		COMBIN	ATION D-SUB	DRAWN: C.B	DATE: JAN. 01/2	.019	
						DATE:	
	IIS SERIES FULLY CONFORMS TO		ARE THE FROFERTT OF EDAG INC., AND	SCALE: N.T.S	SHEET 3 OF	: 4	
	IE EUROPEAN UNION DIRECTIVES 11/65/EU FOR R₀HS COMPLIANCY.		OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-2WK	2222-4T2	ISSUE	
COMPLIANT		YOUR CONNECTION TO QUALITY & SE	MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 627-2WK	2222-4T2	1	

WITHOUT WRITTEN PERMISSION.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 의





13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











	SW REFERENCE NO.: 627 COMBO AS:				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627-2WK2222-4T2		ISSUE
			PART NUMBER: 627-2WK	2222-4T2	1