





TOLERANCE UNLESS OTHERWISE SPECIFIED	
.X	±0.25
.XX	±0.15
.XXX	±0.10

THIS IS A C.A.D. GENERATED DRAWING  
DO NOT MAKE MANUAL REVISIONS TO MASTER.  
UNLESS OTHERWISE SPECIFIED, ALL RADIUS ARE 0.2 MM.





DETAIL A  
SCALE 4:1


NOTES:

- MATERIAL: LCP GLASS REINFORCED, UL94V-0  
HOUSING: COPPER ALLOY  
SHIELD: NICKEL PLATING  
CONTACT: COPPER ALLOY  
GOLD FLASH PLATING ON CONTACT AREA  
MATTE TIN PLATING 30~100μ" ON SOLDER  
TAIL OVER NICKEL 50~150μ" UNDER PLATING

PCB HOLE DIM:  
DRILLED HOLE = 0.700±0.025mm  
FINISHED HOLE = 0.600±0.050mm  
Cu THICKNESS = 0.0375±0.0125mm  
SnPb THICKNESS = 0.007±0.003mm



PCB LAYOUT  
SCALE 2:1

ZD CONNECTOR, MALE, RIGHT ANGLE, 4 PAIR		ACAD REFERENCE NO.: 500-080-225-D01	
		DRAWN: W.T	DATE: JUNE.27 /2018
 EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE		CHECKED:	DATE:
		SCALE: N.T.S	SHEET 1 OF 1
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.		DRAWING NUMBER: 500-080-225-D01	ISSUE 1
		PART NUMBER: 500-080-225-D01	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.