



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-2W2-624-4TA		ISSUE
			PART NUMBER: 628-2W2	-624-4TA	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)


628-2W2-624-4TA

21W4 Male/Female

JVVJ IVIAIE		ovvo Ividie					
÷ -	47.05 -23.53 				33.75 31.75 38 - 9.70 + + + + + + + + + + + + + + + + + + +	and a start	
			11W1 Male/Female	27W2 Male/Female	e		
5W5 Female	47.06 23.63 14.48 14.48 90 90 90 90 90 90 90 90 90 90	8W8 Female	33.30 16.65 9.70 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.		8350 31.75 1524 ************************************	essa essa	
	†******* †*****	18361 1-7.66-1	17W2 Male/Female	21W1 Male/Female	e		
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G / ØA			47.05 23.03 90 + + + + + + + + + + + + + + + + + + +	5 ²⁹	
			COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
		COMBIN				019	
		$\frac{1}{100} + \frac{1}{100} + \frac{1}$					
	THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAC INC.,AND			1	
	2011/65/EU FOR RoHS COMPLIANCY.		OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-2W2-	624-4TA	4	
		YOUR CONNECTION TO QUALITY & SE	RVICE WITHOUT WRITTEN PERMISSION	PART NUMBER: 628-2W2-	624-4TA	1	

WITHOUT WRITTEN PERMISSION.

5W5 Male



8W8 Male

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25






9W4 Male




25W3 Male








36W4 Female




13W3 Male




36W4 Male

20.70 30.50 13.72 16.62 김 의





13W6 Male



43W2 Male



13W6 Female


17W5 Female

.XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female






47W1 Female





17W5 Male



47W1 Male







	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20)19
		CHECKED:	DATE:		
FORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4
DIRECTIVES	TORONTO, ONTARIO CANADA	O SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-2W2-624-4TA		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-2	W2-624-4TA	1



THIS SERIES FULLY CONFC THE EUROPEAN UNION DIF 2011/65/EU FOR RoHS COM