



Figure: CHERRY UM 3.0

Models may vary from the image shown

## USB microphone for streaming and using in the office

The high-quality workmanship of the CHERRY UM 3.0 makes it very visually striking, and it is exceptionally stable thanks to its robust three-legged metal stand. Whether for video calls, streaming sessions or when gaming online – good communication is an all-important element. If you value professional sound and don't want to rely on the built-in microphone in your laptop, headset or webcam, the CHERRY UM 3.0 streaming microphone is the perfect choice. A sampling rate of 96 kHz and 24 bit guarantees clear and detailed voice recordings.

Equipped with a cardioid polar pattern, the USB microphone achieves first-class results when it comes to capturing the voice recordings of a single person. It is, therefore, ideal when streaming, for use in the office, or for voice-overs. Unwanted background noise is automatically filtered out, so you can concentrate fully on what you want to record.

In addition, this streaming mic has the added bonus of a very practical push-to-mute function that can be conveniently switched on and off. When the LED indicator lights up red, the microphone is muted. To avoid accidental recording, all it takes is a touch, and the microphone is muted. If you want to continue recording, tap the mute icon again, and the red LED indicator goes off.

The convenient headphone jack makes it easy to connect headphones to the microphone. The design of the additional volume control for the headphones on the back of the mic is based on the CHERRY mouse wheel and means you always retain control over the sound of your recordings.

The CHERRY UM 3.0 is ready to use – right out of its plastic-free packaging. No time-consuming assembly or software installation is required. It connects easily to a PC, Mac, PS4 or PS5 via Plug&Play using the included USB cable – set it up, plug it in, and record!

## The most important advantages

- Attractive design in matte black
- Three-legged design stand made of solid metal guarantees stability
- First-class sound quality
- Compatible with PC, Mac, PS4 and PS5 (Plug&Play via USB cable)
- Convenient push-to-mute function
- Headphone jack with integrated volume control in CHERRY design

## Technical specifications

**Housing color:**

Black

**Weight (product):**

Microphone: approx. 1.09 lbs

**Total weight (with packaging):**

approx. 2.25 lbs

**Frequency range:**

20 Hz–max. 20,000 Hz

**Storage temperature:**

23 °F to 131 °F, max. 85% humidity

**Operating temperature:**

32 °F to 122 °F, max. 85% humidity

**Power input:**

Microphone: max. 60 mA

**Connection:**

USB

**Cable length:**

8.2 ft

**Product approvals:**

- CE
- UKCA
- EU RoHS
- FCC
- KCC
- RCM
- REACH

**System requirements:**

USB 2.0 or higher

Windows 10 or higher, Mac OS

**Scope of delivery:**

- Microphone
- USB cable
- Operating instructions

**Product dimensions:**

Microphone: 6.3 x 5.5 x 10.35 in

**Packaging dimensions:**

approx. 7.87 x 6.02 x 12.52 in

**Microphone:**

Polar pattern: Cardioid

Sound pressure level (SPL): 120 db

Scanning rate: 96 kHz

Bit rate: 24 bit

**Packaging unit:**

Number of products in outer package 6

Number of outer packages per pallet: 10

## Warranty:

We put a lot of dedication and hard work into the development of our products and we are proud of their quality. This is why, in addition to the statutory guarantee mentioned in the operating instructions, we are granting an expanded manufacturer's guarantee that is subject to the conditions stated below.

For the first two years after delivery, the statutory warranty applies. In the third year after delivery, CHERRY voluntarily grants an additional warranty according to the following conditions ("extended warranty"). In the event of a defect, please contact the seller of your CHERRY product. Do not carry out any repairs on your own and do not open the product. There is no warranty if unauthorized changes to the product cause a defect.

**Conditions for the extended warranty**

In the case of a defect after the first 2 years after delivery of the CHERRY product, CHERRY grants its customers for the additional period of one year the right to assert claims for cure, i.e. demand that the defect is remedied or a thing free of defects is supplied. The extended warranty is to be asserted against the seller of the CHERRY product upon presentation of the original invoice, proof of purchase or a comparable proof of the time of purchase. CHERRY, and the seller of the CHERRY product, where applicable, shall remedy the defect in the event the customer has justified claims for cure under the terms of the extended warranty.

Excluded from the extended warranty are damages caused by improper use, in particular by the effects of chemical substances, other damages caused by external influences, as well as normal wear and tear and optical changes, in particular discoloration or abrasion of shiny areas. Also excluded from the extended warranty are accessories and other parts which are not an integral part of the purchased item.

Errors, technical changes and delivery possibilities excepted. Technical information refers only to the specifications of the products. Features may differ from the information provided.

**JA-0700 (black)**

|   | Product name  | Order number | UPC code     | Housing color | Polar pattern |
|---|---------------|--------------|--------------|---------------|---------------|
| 1 | CHERRY UM 3.0 | JA-0700      | 840183606152 | Black         | Cardioid      |

Please contact your local CHERRY Service and Support team or your CHERRY sales partner to find out which versions are available in your country.



Figure: CHERRY UM 6.0 ADVANCED

Models may vary from the image shown

## USB microphone with shock mount for streaming and using in the office

With its high-quality workmanship and appealing look, the CHERRY UM 6.0 ADVANCED is truly eye-catching in any gaming setup or office. The three-legged design stand of the USB microphone is made entirely of metal and thus provides a firm and stable stand at all times.

The integrated shock mount function ensures clear sound: Unwanted vibrations that can be caused by the desk wobbling or when typing on the keyboard are perfectly insulated by specially-designed rubber bands, as the microphone is completely decoupled from the design metal stand.

Benefit from impressive sound and detailed audio not only during streaming, video calls in the office, or gaming: The CHERRY UM 6.0 ADVANCED USB microphone offers two different polar patterns. This allows you to switch between cardioid and omnidirectional modes at the touch of a button. In omni mode, the sound is no longer only captured from the front but from all sides of the mic. This means that the microphone is particularly suitable for video conferences as well as podcasts with several people. A sampling rate of 96 kHz and 24 bit ensures clear and distinct audio recordings.

Furthermore, the USB mic scores highly with a practical gain control on the front, which can be used to adjust the sensitivity of the mic itself. A higher microphone sensitivity is advantageous, for example, if you want to record sounds that are quieter and/or further away.

The CHERRY UM 6.0 ADVANCED has both a headphone jack and a useful push-to-mute function that allows you to mute the microphone with just one touch. Not only does this help you avoid accidental recordings, but it also makes it easier to step back from the

action, especially during a video conference with several people, without disturbing the participants.

The CHERRY UM 6.0 ADVANCED connects to a PC, laptop, Mac, or console in seconds via the included USB cable and is ready to record immediately. An added bonus: The packaging includes no plastic at all. Unpack, plug in, and record!

## The most important advantages

- High-quality design in matte silver
- Three-legged design stand made of solid metal with integrated vibration damper
- Two different polar patterns for detailed voice recordings: cardioid and omnidirectional
- Gain control for adjusting microphone sensitivity
- Compatible with PC, Mac, PS4 and PS5 (Plug&Play via USB cable)
- Convenient push-to-mute function
- Headphone jack with integrated volume control in CHERRY design
- Shock-mount function for first-class sound quality without unwanted background noise or vibrations

**Technical specifications**

|                                       |   |
|---------------------------------------|---|
| <b>Housing color:</b>                 | Silver/black  |
| <b>Weight (product):</b>              | Microphone: approx. 1.2 lbs   |
| <b>Total weight (with packaging):</b> | approx. 2.8 lbs   |
| <b>Frequency range:</b>               | 20 Hz–max. 20,000 Hz  |
| <b>Storage temperature:</b>           | 23 °F to 131 °F, max. 85% humidity  |
| <b>Operating temperature:</b>         | 32 °F to 122 °F, max. 85% humidity  |
| <b>Power input:</b>                   | Microphone: max. 80 mA  |
| <b>Connection:</b>                    | USB   |
| <b>Cable length:</b>                  | 8.2 ft  |
| <b>Product approvals:</b>             | <ul style="list-style-type: none"> <li>• CE</li> <li>• UKCA</li> <li>• EU RoHS</li> <li>• FCC</li> <li>• KCC</li> <li>• RCM</li> <li>• REACH</li> </ul> |
| <b>System requirements:</b>           | USB 2.0 or higher<br>Windows 10 or higher, Mac OS   |
| <b>Scope of delivery:</b>             | <ul style="list-style-type: none"> <li>• Microphone</li> <li>• USB cable</li> <li>• Operating instructions</li> </ul>                                   |
| <b>Product dimensions:</b>            | Microphone: 6.3 x 5.67 x 10.71 in   |
| <b>Packaging dimensions:</b>          | approx. 7.87 x 6.02 x 12.52 in  |
| <b>Microphone:</b>                    | Polar pattern: Cardioid, omnidirectional<br>Sound pressure level (SPL): 120 db<br>Scanning rate: 96 kHz<br>Bit rate: 24 bit                             |
| <b>Packaging unit:</b>                | Number of products in outer package 6<br>Number of outer packages per pallet: 10  |

**Warranty:**

We put a lot of dedication and hard work into the development of our products and we are proud of their quality. This is why, in addition to the statutory guarantee mentioned in the operating instructions, we are granting an expanded manufacturer’s guarantee that is subject to the conditions stated below. For the first two years after delivery, the statutory warranty applies. In the third year after delivery, CHERRY voluntarily grants an additional warranty according to the following conditions ("extended warranty"). In the event of a defect, please contact the seller of your CHERRY product. Do not carry out any repairs on your own and do not open the product. There is no warranty if unauthorized changes to the product cause a defect.

**Conditions for the extended warranty**

In the case of a defect after the first 2 years after delivery of the CHERRY product, CHERRY grants its customers for the additional period of one year the right to assert claims for cure, i.e. demand that the defect is remedied or a thing free of defects is supplied. The extended warranty is to be asserted against the seller of the CHERRY product upon presentation of the original invoice, proof of purchase or a comparable proof of the time of purchase. CHERRY, and the seller of the CHERRY product, where applicable, shall remedy the defect in the event the customer has justified claims for cure under the terms of the extended warranty. Excluded from the extended warranty are damages caused by improper use, in particular by the effects of chemical substances, other damages caused by external influences, as well as normal wear and tear and optical changes, in particular discoloration or abrasion of shiny areas. Also excluded from the extended warranty are accessories and other parts which are not an integral part of the purchased item.

Errors, technical changes and delivery possibilities excepted. Technical information refers only to the specifications of the products. Features may differ from the information provided.

**JA-0710 (silver/black)**

|   | Product name           | Order number | UPC code     | Housing color | Polar pattern                |
|---|------------------------|--------------|--------------|---------------|------------------------------|
| 1 | CHERRY UM 6.0 ADVANCED | JA-0710      | 840183606169 | Silver/black  | Cardioid/<br>omnidirectional |

Please contact your local CHERRY Service and Support team or your CHERRY sales partner to find out which versions are available in your country.



Figure: CHERRY UM 9.0 PRO RGB

Models may vary from the image shown

## USB microphone with impressive RGB illumination for streaming and gaming

The CHERRY UM 9.0 PRO RGB has an extremely stable three-legged base made of solid metal and a striking visual impact: matte black is combined with tasteful copper, making the professional USB micro extremely eye-catching.

The sophisticated shock-mount function ensures interference-free recordings: Unwanted vibrations or background noise are perfectly insulated by specially-designed rubber bands, as the microphone is completely decoupled from the design metal stand.

Whether you want to record a podcast, hold a video conference with several people, plan a streaming or gaming session, or conduct a face-to-face interview, the CHERRY UM 9.0 PRO RGB has you covered in any situation. Four different polar patterns are available, allowing you to perfectly match the microphone to the appropriate environment and your specific needs – as versatile as the demands of your everyday entertainment or work life. Thanks to its 192 kHz and 24 bit sampling rate, crystal-clear and professional sound recordings are guaranteed at all times.

Colorful accents are provided by the microphone's impressive RGB illumination. With the UM 9.0 PRO RGB, you can choose between different RGB color effects, single colors or unlit at the touch of a button – so you can design your workspace just the way you like it. The push-to-mute function allows you to mute the microphone with a quick touch. This is visualized by the powerful red RGB lighting and a red LED indicator. If you want to continue recording, tap the mute icon again and the red LED indicator goes off.

Furthermore, the CHERRY UM 9.0 PRO RGB has a gain control that can be used to adjust the microphone sensitivity. With the help of the headphone jack and the integrated volume control in the

tried-and-tested CHERRY mouse wheel design, you are always fully in control of the audio.

Handling the CHERRY UM 9.0 PRO RGB is also extremely simple: There is no complicated setup, no driver installation, and no complicated control via software is necessary. Simply take the RGB microphone out of the plastic-free packaging in one piece, connect it to your PC, Mac or console via the included USB cable, trigger the lighting at the touch of a button, and start recording. Unpack, plug in, and record!

## The most important advantages

- Elegant design in matte copper look
- Three-legged design stand made of solid metal with integrated vibration damper
- Versatile thanks to four different polar patterns: cardioid, omnidirectional, bidirectional and stereo
- Impressive RGB lighting for an intense gaming or streaming setup
- Gain control for adjusting microphone sensitivity
- Compatible with PC, Mac, PS4 and PS5 (Plug&Play via USB cable)
- Convenient push-to-mute function
- Headphone jack with integrated volume control in CHERRY design
- Shock-mount function for first-class sound quality without unwanted background noise or vibrations

## Technical specifications

### Housing color:

Black/copper

### Weight (product):

Microphone: approx. 1.22 lbs

### Total weight (with packaging):

approx. 2.82 lbs

### Frequency range:

20 Hz–max. 20,000 Hz

### Storage temperature:

23 °F to 131 °F, max. 85% humidity

### Operating temperature:

32 °F to 122 °C, max. 85% humidity

### Power input:

Microphone: max. 200 mA

### Connection:

USB

### Cable length:

8.2 fr

### Product approvals:

- CE
- UKCA
- EU RoHS
- FCC
- KCC
- RCM
- REACH

### System requirements:

USB 2.0 or higher

Windows 10 or higher, Mac OS

### Scope of delivery:

- Microphone
- USB cable
- Operating instructions

### Product dimensions:

Microphone: 6.3 x 5.67 x 10.71 in

### Packaging dimensions:

approx. 7.87 x 6.02 x 12.52 in

### Microphone:

Polar pattern: Bidirectional, cardioid, omnidirectional, stereo

Sound pressure level (SPL): 122 db

Scanning rate: 192 kHz

Bit rate: 24 bit

### Packaging unit:

Number of products in outer package 6

Number of outer packages per pallet: 10

## Warranty:

We put a lot of dedication and hard work into the development of our products and we are proud of their quality. This is why, in addition to the statutory guarantee mentioned in the operating instructions, we are granting an expanded manufacturer's guarantee that is subject to the conditions stated below.

For the first two years after delivery, the statutory warranty applies. In the third year after delivery, CHERRY voluntarily grants an additional warranty according to the following conditions ("extended warranty"). In the event of a defect, please contact the seller of your CHERRY product. Do not carry out any repairs on your own and do not open the product. There is no warranty if unauthorized changes to the product cause a defect.

### Conditions for the extended warranty

In the case of a defect after the first 2 years after delivery of the CHERRY product, CHERRY grants its customers for the additional period of one year the right to assert claims for cure, i.e. demand that the defect is remedied or a thing free of defects is supplied. The extended warranty is to be asserted against the seller of the CHERRY product upon presentation of the original invoice, proof of purchase or a comparable proof of the time of purchase.

CHERRY, and the seller of the CHERRY product, where applicable, shall remedy the defect in the event the customer has justified claims for cure under the terms of the extended warranty.

Excluded from the extended warranty are damages caused by improper use, in particular by the effects of chemical substances, other damages caused by external influences, as well as normal wear and tear and optical changes, in particular discoloration or abrasion of shiny areas. Also excluded from the extended warranty are accessories and other parts which are not an integral part of the purchased item.

Errors, technical changes and delivery possibilities excepted. Technical information refers only to the specifications of the products. Features may differ from the information provided.



**JA-0710 (silver/black)**

|   | Product name          | Order number | UPC code     | Housing color | Polar pattern   |
|---|-----------------------|--------------|--------------|---------------|---|
| 1 | CHERRY UM 9.0 PRO RGB | JA-0720      | 840183606176 | Black/copper  | Bidirectional,<br>omnidirectional<br>cardioid, stereo |

Please contact your local CHERRY Service and Support team or your CHERRY sales partner to find out which versions are available in your country.