



Product Change Notification (PCN)

PCN Number Date Issued

Reason for Change

Change Type Description

Assessment of Change

Internal Molex Qualification Date

Sample Availability Date (Changed Part)

Planned Implementation Date

Method of Identifying Change

RELEASED

Before Change

4-2-6	強制抜去力 Compulsion Withdrawal	コネクタを嵌合させ、ロックを解除せずに軸方向に 毎分 25±3mm の速さで引張る。(試験サンプルは端子装着状態とする。) Mate connectors, apply axial pull out force at the speed rate of 25±3mm/minute. (Test sample have pin/terminal)	4極以上(OVER 4 CKT.) 49.0 N (5.0kgf) MIN.
Molex will revise Product Specifications (PS) of PS-51216-007 for 59370/51216/51217/55487/55755(2.00MM MicroTPA WTB) series. Item 4-2-6 about "Compulsion Withdrawal" on PS-51261-007 will change its description as shown from "Before" to "After". This is to show actual products' performance that is differently written on PS.			

After Change

4-2-6	ハウジングロック強度 (ポジティブロック) Housing Lock Strength (Positive Lock)	コネクタを嵌合させ、軸方向に毎分25±3mmの速さで引張る。 Mate connectors and apply axial pull out force at the speed rate of 25±3mm/minute.	2極品 (2 CKT.) 19.6N (2.0 kgf) MIN. 3極品以上 (OVER 3 CKT.) 29.4N(3.0kgf) MIN.
There will be no change on products' Fit, Form, Function, or Appearance. This notification is just change description on PS. Implementation date is scheduled as 2017/6/1.			



Product Change Notification (PCN)

You may address any technical inquiries regarding this PCN by sending E-mail to pcn_coordinator@molex.com or your Local Sales Engineer.

Note: While responding, please retain "**PCN Notification:502065**" in the e-mail Subject line for faster response.

RELEASED

Molex, LLC
2222 Wellington Court
Lisle, IL 60532
TEL: 630-969-4747
www.molex.com

512160200
512160300
512160400
512160500
512160600
512160700
512161000
512161200
512161400
512170205
512170305
512170405
512170605
512170805
512171005
512171205
512171405
554870219
554870319
554870419
554870619
554870819
554871019
554871219
554871419
557550319
593708100