



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| COMBINATION D-SUB | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | |
|--------------------------------------|---|--------------------------------------|------------------|-------|
| | | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | CHECKED: | DATE: | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| TORONTO, ONTARIO | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-5W5 | -624-2N3 | ISSUE |
| YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-5W5 | -624-2N3 | 1 |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



/Female




/Female

| | | 98 85 00 | 33.30 | |
|--|-----------------|--|--|--------------------|
| | | 11 V | V1 Male/Female | 27W2 Male/Fe |
| 47.06 23.03 a 14.48 b 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 8W8 Female | and the second s | 33.30 10.56 9.70 8.31 9.70 | |
| 1.6.26.1 | [8.36] [.7.64_] | 17V | V2 Male/Female | 21W1 Male/Fe |
| CURRENT RATIN | G/ØA | | | |
| 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | | | 47.05 23.63 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 15 | 87 87 |
| | | | | SW REFERENCE NO .: |
| | C | OMBINATIO | N D-SUB | DRAWN: C.B |
| | | | | CHECKED: |
| ERIES FULLY CONFORMS TO | | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS | SCALE: N.T.S |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

| COMBINATION D-SUB | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | |
|--|--|--------------------------------------|------------------|-------|
| | | DRAWN: C.B | DATE: JAN. 01/20 |)19 |
| | | CHECKED: | DATE: | |
| EDAC INC TORONTO, ONTARIO CANADA | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 3 OF | 4 |
| | | DRAWING NUMBER: 628-5W5 | -624-2N3 | ISSUE |
| YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-5W5 | -624-2N3 | 1 |



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.






9W4 Male

23,53 14 84 a 70 3 ą

25W3 Male



23.53 14.51 9.70 7.79

25W3 Female

36W4 Female





13W3 Male












13W6 Male



43W2 Male






.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female




17W5 Male



47W1 Male










2.77





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

| | COMBINATION | D-SUB |
|--------------------|---|--|
| YOUR CONNECTION TO | EDAC INC TORONTO, ONTARIO CANADA) QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICA ARE THE PROPERTY OF EDAC INC. SHALL NOT BE REPRODUCED.OR O OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPAI WITHOUT WRITTEN PERMISSION. |

17W5 Female