

т	۵ D	п –	— п	0







Keying Shown as example

CHARACTERISTICS

-Salt Spray

BASIC SERIES:

SHELL SIZE : 21

PLATING : M = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

ယ

 \sim

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Composite
-Shell Plating	: Nickel
-Insulator	: Thermoplastic
-Contacts	: Copper Alloy
-Seals & Grommet	: Silicon Elastomer
-Contact Plating	: Gold over copper Alloy 0.8µm minimum
-Durability	: 500 Mating cycles
-Delivered with Souria	u contacts and Accessories
-Temperature Range	: -65°C to +200°C

: 2000 hours

8D 0

G

21

Μ


42

Ρ

F

Е

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
PP	4.93±0.2		
R1	31.75		
R2	29.36		
S	39.7±0.3		
V'	18.7+1.4/-0		
W'	2.1/4.35		
Ζ'	32 Max		
VV THREAD	M31x1-6g		



0		Φ		A		
		Re				4
LAY	YOUT SHOWN AS EX.	AMPLE				3
due to a use the Specifications (professio	not be liable for any of the Products white issued by either of to onal recommendation Country FR N: 8D021N	ch does not co the Parties or I on, technical n Jurisc	mply with by a third par			2
st Release						
Latest modificatio Date:	n - by		CUSTOME	R DRAWING	MOD N°	
	Composite	Receptac	e 8D seri	es		
$] \bigoplus$	General linear Tolerances: ±		8	PROJECT 59		1
WWW.SOURIAU.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission						
	SOURIAU 8D021M4				SHEET 1/2	
С		B		A		J

	т	۵	וד	m	D		0	
		Contact Layout					Ра	nel Cutou
		42				SQ	UARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING	
4						12	R1	
		2#4 Power						
	Ctc A B	21-42 X Y 0 6.19 0 -6.19				¥ [Ø ØA	<u>T</u>
							Dim ØA	
ယ							ØAA R1	
							ØT	
	\vdash							
							SOURIAU shall not be liab due to a use of the Pro the Specifications issued by (professional record	oducts wh y either of
N								Country
							PN: 8D	L
					A	02-11-2016	First Release	
_					ISS	DATE	Latest modification - by	
					Designed		Date:	
					1	TITLE	Com	nposite
_					SCAL			al linear rances: ±
					SOL	JRIAU	WWW.SOUR	RIAU.C
					FORM			RIAU
		2	_	r i	AB	3		021M
	Н	l G	F	E	D		С	

