

## Product/Process Change Notification

### PCN-083022-AGA Comm

Dielectric material formulation change.

<b>Date:</b>	<b>ID Number (MMDDYY):</b> 083022										
<b>Affected Products</b>	<b>Product Line:</b> X7R	<b>Case Size:</b> 0805		<b>Cap:</b> 225 (2.2µF), 105 (1.0 µF)							
	<b>Voltage:</b> see table.	<b>Tolerances:</b> All		<b>C-spec's:</b> 7800, 7210, 7025, 7215 Suffix: TU							
	<b>Grade:</b> Commercial	<b>Termination:</b> Commercial Flexible Termination Only									
<b>Change</b>											
KEMET has improved its dielectric material formulation ensuring additional supply of MLCCs to meet increasing customer demand. Qualification testing has been performed in accordance with our Performance & Reliability stated on Commercial Catalog.											
<b>Flexible Termination</b>											
Part Type	Length (mm)		Width (mm)		Thickness (mm)		DF (Max %)		IR MIN (Mohm)		pcs / reel (7in / 13in)
	Current	Planned	Current	Planned	Current	Planned	Current	Planned	Current	Planned	No changes
0805 X7R 2.2µF 25V	2.0±0.35	2.0±0.35	1.25±0.30	1.25±0.30	1.25±0.15	1.25±0.30	10%	10%	45.5	45.5	2,500 / 10,000
0805 X7R 2.2µF 16V	2.0±0.35	2.0±0.35	1.25±0.30	1.25±0.30	1.25±0.15	1.25±0.30	10%	10%	45.5	45.5	2,500 / 10,000
0805 X7R 2.2µF 10V	2.0±0.35	2.0±0.35	1.25±0.30	1.25±0.30	1.25±0.15	1.25±0.30	10%	10%	45.5	45.5	2,500 / 10,000
0805 X7R 2.2µF 6.3V	2.0±0.35	2.0±0.35	1.25±0.30	1.25±0.30	1.25±0.15	1.25±0.30	10%	10%	45.5	45.5	2,500 / 10,000
0805 X7R 1.0µF 50V	2.0±0.35	2.0±0.35	1.25±0.30	1.25±0.30	1.25±0.20	1.25±0.30	10%	10%	100	100	2,500 / 10,000
<b>Ordering Information</b>											
<b>C</b>	<b>0805</b>	<b>X</b>	<b>225</b>	<b>K</b>	<b>3,4,8,9</b>	<b>R</b>	<b>A</b>	<b>C</b>	<b>TU</b>		
<b>C</b>	<b>0805</b>	<b>X</b>	<b>105</b>	<b>K</b>	<b>5</b>	<b>R</b>	<b>A</b>	<b>C</b>	<b>TU</b>		
<b>Cer</b>	<b>Case Size (LxW)</b>	<b>Specification / Series</b>	<b>Capacitance Code (pF)</b>	<b>Capacitance Tolerance</b>	<b>Rated Voltage (VDC)</b>	<b>Diel.</b>	<b>Failure Rate/ Design</b>	<b>Termination Finish</b>	<b>Packaging/ Grade (C-Spec)</b>		
	0805	X= Flexible Termination	Two significant digits + number of zeros.	J = ±5% K = ±10% M = ±20%	9 = 6.3V 8 = 10V 4 = 16V 3 = 25V 5 = 50V	R = X7R	A= N/A	C=100% Sn	TU= 7in T&R Unmarked		
<b>Effective Date and Identification</b>		Target Implementation December 7 <sup>th</sup> , 2022									

<b>To Obtain Samples or General Information Contact</b>	Ana Garza Technical Product Engineer   Ceramic Product Business Unit KEMET Electronics Corporation <a href="mailto:Ana.Garza@yageo.com">Ana.Garza@yageo.com</a>  Craig Scruggs Director Product Management – Automotive Ceramics   Ceramic Product Business Unit KEMET Electronics Corporation <a href="mailto:Craig.Scruggs@yageo.com">Craig.Scruggs@yageo.com</a>
---	---

**KEMET Proprietary Information**  
Entire Contents not to be shared without express written consent of KEMET Electronics Corporation.

**KEMET Part Number**

C0805X225J3RACTU  
C0805X225J3RAC7800  
C0805X225J3RAC7210  
C0805X225J3RAC7025  
C0805X225J3RAC7215  
C0805X225J4RACTU  
C0805X225J4RAC7800  
C0805X225J4RAC7210  
C0805X225J4RAC7025  
C0805X225J4RAC7215  
C0805X225J8RACTU  
C0805X225J8RAC7800  
C0805X225J8RAC7210  
C0805X225J8RAC7025  
C0805X225J8RAC7215  
C0805X225J9RACTU  
C0805X225J9RAC7800  
C0805X225J9RAC7210  
C0805X225J9RAC7025  
C0805X225J9RAC7215  
C0805X225K3RACTU  
C0805X225K3RAC7800  
C0805X225K3RAC7210  
C0805X225K3RAC7025  
C0805X225K3RAC7215  
C0805X225K4RACTU  
C0805X225K4RAC7800  
C0805X225K4RAC7210  
C0805X225K4RAC7025  
C0805X225K4RAC7215  
C0805X225K8RACTU  
C0805X225K8RAC7800  
C0805X225K8RAC7210  
C0805X225K8RAC7025  
C0805X225K8RAC7215  
C0805X225K9RACTU  
C0805X225K9RAC7800  
C0805X225K9RAC7210  
C0805X225K9RAC7025  
C0805X225K9RAC7215  
C0805X225M3RACTU  
C0805X225M3RAC7800  
C0805X225M3RAC7210  
C0805X225M3RAC7025

C0805X225M3RAC7215  
C0805X225M4RACTU  
C0805X225M4RAC7800  
C0805X225M4RAC7210  
C0805X225M4RAC7025  
C0805X225M4RAC7215  
C0805X225M8RACTU  
C0805X225M8RAC7800  
C0805X225M8RAC7210  
C0805X225M8RAC7025  
C0805X225M8RAC7215  
C0805X225M9RACTU  
C0805X225M9RAC7800  
C0805X225M9RAC7210  
C0805X225M9RAC7025  
C0805X225M9RAC7215  
C0805X105J5RACTU  
C0805X105J5RAC7800  
C0805X105J5RAC7210  
C0805X105J5RAC7025  
C0805X105J5RAC7215  
C0805X105K5RACTU  
C0805X105K5RAC7800  
C0805X105K5RAC7210  
C0805X105K5RAC7025  
C0805X105K5RAC7215  
C0805X105M5RACTU  
C0805X105M5RAC7800  
C0805X105M5RAC7210  
C0805X105M5RAC7025  
C0805X105M5RAC7215