



NOTES:

1. MATERIAL:

(A). SPLICE CONNECTOR: COPPER (STOCK THICKNESS .032±.002 [0.81])

PLATING: ELECTRO-TIN (.0003 MIN.)

(B). INSULATION: VINYL (BLUE)

2. MWID: MAXIMUM WIRE INSULATION DIAMETER

3. WIRE SIZE: 16 - 14 AWG

1.0 - 2.5 MM²

4. "UL" LISTING #E32244

"CSA" LISTING #18689

5. ALL DIMENSIONS IN INCHES/[MM].

6. PARTS ARE ROHS COMPLIANT.

7. DIMS. SHOWN ARE FOR REFERENCE ONLY.

MATERIAL NUMBER		ENGINEERING NUMBER																															
192060004		B-204X																															
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																	
SYMBOLS		CURRENT REV DESC: MIGRATION TO ECTR/NX																															
<table border="1"> <tr> <th>DIMENSION UNITS</th> <th colspan="2">SCALE</th> </tr> <tr> <td>INCH/MM</td> <td colspan="2">NTS</td> </tr> <tr> <td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td> </tr> <tr> <td></td> <td>MM</td> <td>INCH</td> </tr> <tr> <td>4 PLACES</td> <td>± .005</td> <td>± .001</td> </tr> <tr> <td>3 PLACES</td> <td>± .01</td> <td>± .002</td> </tr> <tr> <td>2 PLACES</td> <td>± .02</td> <td>± .005</td> </tr> <tr> <td>1 PLACE</td> <td>± .05</td> <td>± .01</td> </tr> <tr> <td>0 PLACES</td> <td>± .1</td> <td>± .02</td> </tr> <tr> <td colspan="2">ANGULAR TOL</td> <td>± 0.5°</td> </tr> </table>		DIMENSION UNITS	SCALE		INCH/MM	NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)				MM	INCH	4 PLACES	± .005	± .001	3 PLACES	± .01	± .002	2 PLACES	± .02	± .005	1 PLACE	± .05	± .01	0 PLACES	± .1	± .02	ANGULAR TOL		± 0.5°	<p>EC NO: 626470</p> <p>DRWN: ABENJAMINLW 2019/10/30</p> <p>CHK'D: GROJAS01 2019/10/30</p> <p>APPR: JMACNEIL 2019/11/04</p> <p>INITIAL REVISION:</p> <p>DRWN: ED 1989/08/30</p> <p>APPR:</p>	
DIMENSION UNITS	SCALE																																
INCH/MM	NTS																																
GENERAL TOLERANCES (UNLESS SPECIFIED)																																	
	MM	INCH																															
4 PLACES	± .005	± .001																															
3 PLACES	± .01	± .002																															
2 PLACES	± .02	± .005																															
1 PLACE	± .05	± .01																															
0 PLACES	± .1	± .02																															
ANGULAR TOL		± 0.5°																															
<p>DOCUMENT STATUS</p> <p>P1</p> <p>RELEASE DATE</p> <p>2019/11/04 15:52:21</p>		<p>DOCUMENT NUMBER</p> <p>6002302C</p> <p>DOC TYPE</p> <p>PSD</p> <p>DOC PART</p> <p>001</p> <p>REVISION</p> <p>A</p>																															
<p>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</p>		<p>THIRD ANGLE PROJECTION</p> <p>DRAWING</p> <p>SERIES</p> <p>B-SIZE 60023</p> <p>MATERIAL NUMBER</p> <p>SEE CHART</p> <p>CUSTOMER</p> <p>GENERAL MARKET</p> <p>SHEET NUMBER</p> <p>1 OF 1</p>																															