

Data sheet | Item number: 887-917 **DISCONTINUED**  
 Splicing Connector Set; L-BOXX® 102; 221, 2273 Series



[www.wago.com/887-917](http://www.wago.com/887-917)



**X** This item has been discontinued and is no longer available as of 31.03.2021.

**Successor model**



**Item no.887-926**  
 Splicing Connector Set; L-BOXX® 102; 221, 2273 Series

[www.wago.com/887-926](http://www.wago.com/887-926)

**Item description**

Contains:

COMPACT PUSH WIRE® connectors for junction boxes

white	2 x 0.5 ... 2.5 mm <sup>2</sup>	<b>2273-202</b>	100
orange	3 x 0.5 ... 2.5 mm <sup>2</sup>	<b>2273-203</b>	100
red	4 x 0.5 ... 2.5 mm <sup>2</sup>	<b>2273-204</b>	100
yellow	5 x 0.5 ... 2.5 mm <sup>2</sup>	<b>2273-205</b>	100
light gray	8 x 0.5 ... 2.5 mm <sup>2</sup>	<b>2273-208</b>	50
COMPACT splicing connectors			
transparent	2 x 0.14 ... 4 mm <sup>2</sup>	<b>221-412</b>	100

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



transparent	3 x 0.14 ... 4 mm <sup>2</sup>	221-413	100
transparent	5 x 0.14 ... 4 mm <sup>2</sup>	221-415	25
Mounting carriers orange		2273-500	2
Mounting carriers orange		221-500	2

## Data

### Physical data

Width	442 mm / 17.402 inches
Height	117 mm / 4.606 inches
Depth	357 mm / 14.055 inches

### Material Data

Note (material data)	Information on material specifications can be found here
Fire load	28.433 MJ
Weight	4870 g

### Commercial data

eCl@ss 10.0	27-14-11-04
eCl@ss 9.0	27-14-11-04
ETIM 8.0	EC000446
ETIM 7.0	EC000446
PU (SPU)	1 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143531702
Customs tariff number	85369010000
End of Sale	2021-03-31
End of Production	2021-04-05
End of Delivery	2021-04-15
End of Service and Repair	2023-03-31

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Downloads

### Documentation

#### Bid Text

887-917 X81 - Datei	2019 Feb 19	xml 3.3 kB	Download
------------------------	-------------	---------------	----------

887-917 docx - Datei	2019 Jan 23	docx 15.0 kB	Download
-------------------------	-------------	-----------------	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 887-917 Splicing Connector Set; L-BOXX® 102; 221, 2273 Series		URL	Download
---	--	-----	----------

## Installation Notes

Subject to changes. Please also observe the further product documentation!