



.XX ±0.13 .XXX ±0.05











MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	-		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-24W	7224-7T4	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-24W	7224-7T4	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

0	
E FOR PLATING	



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05






3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




628-24W7224-7T4


		↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓↓			- Area
		1W1 Male/Female	27W2 Male/Fema	e	
47.05 14.45 14.55 14	/8 Female	33.30 10.65 2.77 3.30 10.65 4.31 4.3		63.50 31.75 2 15.24 ++++++++++++++++++++++++++++++++++++	, dese
هميا لمعطيا CURRENT RATING / ∅ 10A / 2.2		17W2 Male/Female	21W1 Male/Fema		
20A / 3.3 30A / 3.7 40A / 4.2				47.05 2 23.63 4 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6	29
			SW REFERENCE NO.: 628 0	COMBO ASSEMBLY	
	COMBINAT	ION D-SUB	DRAWN: C.B	DATE: JAN. 01/20	J19
			CHECKED:	DATE:	
S SERIES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
E EUROPEAN UNION DIRECTIVES 1/65/EU FOR R₀HS COMPLIANCY.	CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-24W	7224-7T4	ISSUE
	YOUR CONNECTION TO QUALITY & SERVIO	CE MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 628-24W	7224-7T4	1

5W5 Male


5W5 Female



8W8 Male



3.30



WITHOUT WRITTEN PERMISSION.

THIS S THE E 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

 
 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male









36W4 Female




13W3 Male











13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female





17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 C	628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-24W7224-714		ISSUE
			PART NUMBER: 628-24W	7224-7T4	1